

ATTACHMENT

V Offset ManagementStrategy



Jacobs

Western Renewables Link

Draft Offset Management Strategy

IS311800-EES-BD-RPT-0019 | 1.0 17 June 2025

AusNet Transmission Group Pty Ltd

TC 0009372





Western Renewables Link

Project No: IS311800

Document Title: Draft Offset Management Strategy
Document No.: IS311800-EES-BD-RPT-0019

Client Name: AusNet Transmission Group Pty Ltd

Revision	Date	Revision details / status	Author	Reviewed	Approved
1.0	17/06/2025	For EES Exhibition	KG	TC	RW

Jacobs Group (Australia) Pty Limited ABN 37 001 024 095 Floor 13, 452 Flinders Street Melbourne, VIC 3000 PO Box 312, Flinders Lane Melbourne, VIC 8009 Australia T +61 3 8668 3000 www.jacobs.com

Copyright Jacobs Group (Australia) Pty Limited © 2025. The concepts, data and information contained in this document are created by Jacobs Group (Australia) Pty Limited (Jacobs). Use or copying of this document in whole or in part without the written permission of Jacobs constitutes an infringement of copyright.

This document has been prepared for AusNet Transmission Group Pty Ltd to satisfy the Minister for Planning's Scoping Requirements for the Western Renewables Link dated November 2023 under the *Environment Effects Act 1978*. Jacobs accepts no liability or responsibility whatsoever for, or in respect of, any use of, or reliance upon, this document by any third party. Any third party using and/or relying upon this document accepts sole responsibility and all risk for using and/or relying on this document for any purpose.

This document is based on the information available, and the assumptions made, as at the date of the document, or as otherwise stated in the document. For further information, please refer to the assumptions, limitations and uncertainties set out in the method section of this document.

This document is to be read in full. No excerpts are to be taken as representative of the findings without appropriate context.



Contents

Glossa	ary	. أ
1.	Introduction	1
1.1	Background	1
1.2	Purpose of the strategy	1
1.3	Related studies and EES documents	2
2.	Summary of avoidance, minimisation and mitigation measures	3
2.1	Avoidance and minimisation	3
2.1.1	Corridor development	3
2.1.2	Route establishment (last quarter 2021)	4
2.1.3	Micro-siting route changes (first quarter 2022)	4
2.1.4	Micro-siting route changes (second quarter 2022)	5
2.1.5	Micro-siting route changes (last quarter 2022)	5
2.1.6	Micro-siting route changes (2023)	6
2.1.7	Micro-siting route changes (2024)	6
2.2	Mitigation and Environmental Performance Requirements	6
3.	Potential residual impacts on ecological values	8
3.1	Potential residual impacts on MNES	8
3.2	Potential impacts on State matters	10
4.	Offset Requirements	12
4.1	Overall offsets	12
4.1.1	Commonwealth requirements	12
4.1.2	State requirements	13
4.2	Commonwealth offset calculations	14
4.2.1	Assumptions	14
4.2.2	Grey Box (<i>Eucalyptus microcarpa</i>) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia	
4.2.3	Natural Temperate Grassland of the Victorian Volcanic Plain	15
4.2.4	White Box-Yellow Box-Blakely's Red Gum Grassy Woodland	16
4.2.5	Golden Sun Moth habitat	16
4.2.6	Southern Greater Glider habitat	16
4.2.7	Victorian Grassland Earless Dragon habitat	16
4.2.8	Striped Legless Lizard habitat	16
4.3	State Offset calculations	17
4.3.1	General Habitat Units	17
4.3.2	Species Habitat Units	17
5.	Proposed Offset Management Strategy	19
5.1	Identifying offsets	19
5.1.1	Risk assessment and review of offset availability	19
5.1.2	Overall strategy for identifying offset sites	20



5.2	Identifying required Commonwealth offsets	20
5.3	Identifying required State offsets	27
5.4	Offset security mechanisms	30
5.5	Ongoing steps to secure offsets	30
5.6	Alternative offsets	31
5.6.1	Commonwealth	31
5.6.2	State	31
5.7	Offset Management Plan steps	31
6.	Offset implementation	33
7.	Conclusion	34
Apper	ndix A. Proposed offset calculator inputs	36
Apper	ndix B. Statement of offset availability	45
Refere	ences	71
Table	es	
Table	3-1. Summary of Project impacts to MNES	8
Table	3-2. Summary of Project impact to native vegetation	10
Table	3-3. Summary of Project impact to state significant flora and fauna values	10
Table	4-1. EPBC offset requirements	13
Table	4-2. Native vegetation offset requirements	14
Table	4-3. Native vegetation offset requirements	17
Table	4-4. Species offset requirements	18
Table	5-1. Summary of offsets availability for the relevant MNES	21
Grassy	5-2. Adherence to EPBC Act offset principles relating to offsets for Grey Box (<i>Eucalyptus microcarpa</i>) www.duands and Derived Native Grasslands of South-eastern Australia and the Natural Temperate and of the Victorian Volcanic Plain	22
	5-3. Adherence to EPBC Act offset principles for offsets relating to the Golden Sun Moth, Southern Gr , Victorian Grassland Earless Dragon, Striped Legless Lizard	
Table	5-4. Summary of offset availability for all State offsets	28
Table	5-5. An outline of SHU offsets provided at each site	29
Table	5-6. Indicative steps for the Offset Management Strategy	32
Table	5-7. Indicative example State offset timeline	32
	A-1. Grey Box (<i>Eucalyptus microcarpa</i>) Grassy Woodlands and Derived Native Grasslands of South-eas	
Table	A-2. Natural Temperate Grassland of the Victorian Volcanic PlainPlain	37
Table	A-3. White Box-Yellow Box-Blakely's Red Gum Grassy Woodland	38
Table	A-4. Golden Sun Moth habitat	39
Table	A-5. Southern Greater Glider habitat	41
Table	A-6. Victorian Grassland Earless Dragon	42
Table	A-7. Striped Legless Lizard	43



Glossary

Term	Definition	
AusNet	AusNet Transmission Group Pty Ltd	
Construction Footprint	The Construction Footprint is indicative, contained within the Project Area and encompasses the land required to facilitate construction of the Project, including the vegetation removal needed to achieve the operational safety clearance zone for the transmission line.	
DCCEEW	Department of Climate Change, Energy, the Environment and Water	
DEECA	Department of Energy, Environment and Climate Action	
DELWP	The former Department of Environment, Land, Water and Planning	
DTP	Department of Transport and Planning	
Environment Effects Act	Environment Effects Act 1978	
EES	Environment Effects Statement	
EPBC Act	Environment Protection and Biodiversity Conservation Act 1999	
EPR	Environmental Performance Requirement	
EVC	Ecological Vegetation Community	
FFG Act	Flora and Fauna Guarantee Act 1988 / Flora and Fauna Guarantee Amendment Act 2019	
GHU	General Habitat Units	
ha	Hectare	
kV	Kilovolt	
MCA	Multi-criteria analysis	
MNES	Matters of National Environmental Significance	
NVR Tool	Native Vegetation Regulations Tool	
OMP	Offset Management Plan	
OAMP	Offset Area Management Plan	
OMS	Offset Management Strategy	
Planning and Environment Act	Planning and Environment Act 1987	
Project Area	The Project Area encompasses all areas that would be used to support the construction and operational components of the Project considered in the EES. The Project Area is contained within the Project Land and encompasses the following: Permanent infrastructure including: Transmission tower structures Upgrade and connection to the Bulgana terminal station Connection to the Sydenham terminal station An upgrade of Elaine Terminal Station The new 500kV terminal station near Bulgana	



Term	Definition	
	Minor safety upgrades at other terminal stations	
	 Access tracks required for operation. 	
	 Temporary construction areas including: 	
	 Distribution line crossovers 	
	 Hurdles 	
	Laydown areas	
	Stringing pads	
	 Access tracks 	
	 Tower assembly areas 	
	 Workforce accommodation facilities. 	
Project Land	The Project Land encompasses all land parcels that could be used for the purpose of temporary Project construction and permanent operational components.	
	The Project Land corresponds with the extent of the Specific Controls Overlay proposed in the draft Planning Scheme Amendment for the Project. This generally includes the entire land parcel intersected by a Project component to allow for changes generally in accordance with the proposed draft Planning Scheme Amendment.	
	The Project Land defines the minimum area for which existing conditions are considered in the technical reports.	
Proposed Route	The Proposed Route is approximately 100m to 170m wide and encompasses the nominal future easement (including a buffer either side), and the terminal station areas. The Proposed Route is located within the Project Area.	
SHU	Species Habitat Unit	
TEC	Threatened Ecological Community	



1. Introduction

1.1 Background

The Western Renewables Link Project (the Project) proposes a new transmission line starting at Bulgana, near Stawell in Victoria's west, and extending approximately 190km to Sydenham in Melbourne's north-west. The Project will enable the connection of new renewable energy generated in western Victoria into the National Electricity Market and increase the Victorian transmission capacity. The Project is being delivered by AusNet Transmission Group Pty Ltd (AusNet).

The Project was originally referred to the former Minister for Planning under the *Environment Effects Act* 1978 (Environment Effects Act) on 9 June 2020 by AusNet and it was determined that an Environment Effects Statement (EES) was required. On 22 August 2023, the Minister for Planning determined that the Project has the potential to cause significant environmental effects and that an EES was required to inform decision-makers in the granting of key approvals for the Project. In summary the key changes in the new proposed Project scope are:

- The urgent Sydenham Terminal Station Rebuild will be completed separately. A connection into the Sydenham Terminal Station forms part of the Western Renewables Link Project scope
- The 220kV portion of the transmission line is proposed to be uprated to 500kV
- The new terminal station north of Ballarat would no longer be required
- A new 500kV terminal station near Bulgana would be required, including a new 220kV connection to the existing Bulgana Terminal Station.

The Commonwealth Government's Department of Agriculture, Water and the Environment (DAWE) – now Department of Climate Change, Energy, the Environment and Water (DCCEEW) – has also confirmed that the Project is a 'controlled action' and will require assessment and approval under the *Environment Protection and Biodiversity Conservation (EPBC) Act 1999* (EPBC Act). The Commonwealth has determined that it will use the bilateral assessment agreement and rely on the Victorian Government's assessment process (EES) to inform an approval decision under the EPBC Act.

1.2 Purpose of the strategy

The mitigation hierarchy (avoid-minimise-offset) has been applied throughout the development of Project design. Where impacts on matters of significance could not be avoided, and mitigation measures could not reduce impacts sufficiently, offsets have been proposed. Avoidance and mitigation are discussed further in Section 2.1 and this document summarises the 'offset' measures proposed.

The purpose of this draft Offset Management Strategy (OMS) is to detail the approach to offsetting and managing residual impacts on matters of state and national significance, ensuring compliance with relevant environmental legislation and maximising biodiversity conservation in line with the EES scoping requirements. Prior to the Project's construction, an Offset Management Plan (OMP) will be prepared to outline how the strategy is to be implemented, and its objectives achieved. The OMP will be prepared after all suitable offset sites have been identified and properly assessed, and after offset securing (e.g., purchasing land with the desired biodiversity values) is complete.

Offsets are proposed to achieve the evaluation objective for Biodiversity and Habitat to:

'Avoid, and where avoidance is not possible, minimise potential adverse effects on protected native vegetation and animals (particularly listed threatened species and their habitat and listed ecological communities), as well as address offset requirements consistent with state and Commonwealth policies.'

IS311800-EES-BD-RPT-0019

1



The specific objectives of the strategy are to:

- Address the offset requirements consistent with state and Commonwealth policies, including the requirements of the Victorian Guidelines for the Removal, Destruction or Lopping of Native Vegetation 2017 (the Guidelines) and the EPBC Act Environmental Offsets Policy 2012 as it relates to Matters of National Environmental Significance (MNES). Final offset requirements will be incorporated into the OMS based on the Project design and construction approach in accordance with the Guidelines and policy.
- Set out the proposed means for identifying the availability and securing offsets required for the Project.

As the extent of native vegetation removal has not yet been finalised, information has been provided detailing the likely offsets required for a conservative, worst-case scenario. The offset requirements and calculations provided within this draft OMS are presented as follows:

- a) Survey data: what has been confirmed / known from surveys completed, and
- b) Modelled data: use of modelled/desktop data where access constraints exist, which presents a worst case value.

For the worst-case values, it has been assumed that all desktop analysis (modelled data) is correct; that is, all areas yet to be surveyed contain the matter of interest (except for White Box-Yellow Box-Blakely's Red Gum Grassy Woodland TEC). Further the Biodiversity Impact Assessment includes a worst-case scenario that assumes the removal of all vegetation within the proposed easement. Therefore, it is a very conservative approach that over-estimates impacts and offsets that would be required for the Project. Final offset requirements for the Project will be based on completion of all required surveys (removing reliance on modelled data), detailed project design, and implementation of no go zones in the easement corridor to protect vegetation and habitat to reduce impacts and offset requirements. In addition, the use of micro-siting to avoid or minimise further impacts where feasible and subject to project approvals will be undertaken, which may also reduce native vegetation offsets required.

Regarding residual significant impacts, the Commonwealth offset policy states 'Direct offsets are an essential component of a suitable offsets package. A minimum of 90 per cent of the offset requirements for any given impact must be met through direct offsets.' The remaining requirements can be made up of indirect offsets which would be determined in consultation with relevant authorities. However, it is AusNet's intention in this strategy to achieve 100 per cent direct offsets where possible.

1.3 Related studies and EES documents

This report should be read in conjunction with the following related reports and chapters that inform the assessments and which this report relies on:

- Technical Report A: Biodiversity Impact Assessment
- EES Chapter 8: Biodiversity and Habitat
- EES Chapter 27: Matters of National Environmental Significance
- Draft Planning Scheme Amendment.



3

2. Summary of avoidance, minimisation and mitigation measures

The Project is a significant infrastructure development aimed at enhancing the transmission of renewable energy across western Victoria. Given the scale (spanning approximately 190km) and nature of the Project (a linear infrastructure project), it inevitably intersects with native vegetation and natural habitats, leading to potential biodiversity impacts. These potential impacts include disturbances to flora and fauna, potential habitat fragmentation and impacts on vulnerable species.

To address these concerns, the Project has implemented a strategy to minimise biodiversity impacts. This includes a comprehensive route selection process to avoid ecologically sensitive areas based on extensive desktop assessment and field surveys. Additionally, the Project team has engaged with local communities and biodiversity specialists to further refine the Proposed Route, ensuring that any unavoidable impacts are mitigated through targeted conservation efforts.

The Project aligns with Clause 12.01-1S Native vegetation management of the Victorian Planning Provisions. The objective of this clause is to prevent a net loss to biodiversity resulting from the removal, destruction, or lopping of native vegetation. The strategies related to the clause inform decisions that involve, or will lead to, the removal, destruction or lopping of native vegetation, and apply the three-step approach in accordance with the Guidelines for the removal, destruction or lopping of native vegetation (Department of Environment, Land, Water and Planning, 2017):

- Avoid the removal, destruction or lopping of native vegetation.
- Minimise impacts from the removal, destruction or lopping of native vegetation that cannot be avoided.
- Provide an offset to compensate for the biodiversity impact from the removal, destruction or lopping of native vegetation.

2.1 Avoidance and minimisation

The avoid-minimise-offset hierarchy, the core principle for state and commonwealth offset guidance, has been a cornerstone in the development of the Project, guiding the approach to biodiversity management. This approach has prioritised avoiding impacts on biodiversity wherever possible, minimising unavoidable impacts and offsetting the residual impacts as a last resort.

The key avoidance and minimisation steps taken by the Project include:

- Route selection: A comprehensive route selection process including the use of Multi-Criteria Analysis was
 conducted over broad geographies. This included consideration to avoid large tracts of native vegetation,
 areas with significant landscape overlays, and habitats of threatened species.
- Design considerations: The siting of infrastructure (e.g., transmission towers) has been refined based on the results of desktop and field investigations, particularly where important biodiversity values have been located
- Proposed construction practices: Construction practices have been refined to further reduce the need for native vegetation removal.

Key examples of the avoidance measures incorporated into the design process are summarised in Section 2.1.1 to 2.1.5, with full details provided in the Biodiversity Impact Assessment.

2.1.1 Corridor development

Examples of avoidance through corridor development include:

 Avoidance of the conservation estate (e.g., national park, state and regional parks, state forests and conservation areas) and known locations of EPBC Act listed TECs outside the conservation estate was a key consideration in selecting the Project Corridor.



- The Project Corridor avoids the Werribee Gorge State Park, Lerderderg State Park, Long Forest Flora and Fauna Reserve, Creswick Regional Park, Wombat State Forest, Pyrenees Range State Forest, Mt Beckworth Scenic Reserve and Ben More Bushland Reserve, which were included in the original area of impact.
- The Project Corridor avoids identified areas of the EPBC Act listed Grassy Eucalypt Woodland of the Victorian Volcanic Plain (CR) TEC, which were included in the original area of impact.
- Considerations were presented to Parks Victoria on avoidance measures for Lexton Bushland Reserve in February 2021. However, the alternative corridors and routes were likely to further fragment areas of higher quality vegetation in the areas surrounding the Lexton Bushland Reserve. Therefore, it was agreed that increasing the width of the current Project Corridor, was the better overall option for local vegetation and habitat.

2.1.2 Route establishment (last quarter 2021)

An example of avoidance through route establishment included:

 Kingston Road Travelling Stock Route: The Proposed Route was refined to avoid the Kingston Road Travelling Stock Route (north of Allendale) following identification of a high-quality area of EPBC Act listed Natural Temperate Grassland of the Victorian Volcanic Plain (CR) TEC within the stock route.

2.1.3 Micro-siting route changes (first quarter 2022)

Several micro-siting changes were made in the first quarter of 2022. This included:

- Darley: A variety of route options were considered to the north-east of Darley to avoid the EPBC Act listed Grey Box Grassy Woodland and Derived Native Grasslands of South-eastern Australia (EN) TEC in the former Darley Military Camp. Grey Box Grassy Woodland TEC patches were ultimately considered unavoidable given the variety of other constraints in the vicinity associated with dwellings and view lines, historical heritage and engineering requirements and the original northern route option was retained. Therefore, a series of workshops were held to determine ways to reduce impacts considering tower locations and the requirement for stringing pads and other ground disturbance requirements within unavoidable patches of Grey Box Grassy Woodland TEC.
- Long Forest–Merrimu: An options assessment considered a range of values, including large extents of EPBC Act listed Grey Box Grassy Woodland and Derived Native Grasslands of South-eastern Australia (EN) TEC, FFG Act listed Rocky Chenopod Open Scrubland Community, high densities of Brittle Greenhood Orchids (cr) and Bacchus Marsh Wattle (vu), and Brush-tailed Phascogale (vu) habitat. The route between Gisborne Road and Djerriwarrh Creek was moved north, crossing the Merrimu Reservoir to avoid most biodiversity issues identified around the northern area of Long Forest Flora and Fauna Reserve.
- Melton North: Safe operation of the nearby Melton Aerodrome was a key factor in options assessment at this locality. While not specifically focused on biodiversity, the options assessment also considered the location of the only area of EPBC Act listed Seasonal Herbaceous Wetlands (Freshwater) of the Temperate Lowland Plains (CR) TEC found within the Project Area. The assessment determined a route that ultimately avoided any impact to the TEC as well as reducing the potential impact to identified native grassland patches and several Buloke (cr) trees.
- Haydens Hill: The route was moved to the south of the large bushland area to avoid higher quality habitat for Southern Greater Glider (EN, en), to reduce the overall impacts of fragmentation (moving closer to areas of low quality habitat to the south associated with housing), to reduce the overall native vegetation loss (by aligning on a cleared property) and to reduce specific impact to Brooker's Gum (en) and Spotted Hyacinth Orchid (en).



2.1.4 Micro-siting route changes (second quarter 2022)

More micro-siting changes were made in the second quarter of 2022. This included:

- Werribee River crossing: The route was moved to avoid a Powerful Owl (vu) nesting tree adjacent to the river crossing.
- Victorian Volcanic Plain: Positioning towers and associated tower assembly areas between patches of mapped native grassland on the Victorian Volcanic Plain avoided many impacts. Of the 430 towers proposed for the Project, only 11 towers (F4307DL, F4306DL, F4305DL, F4459SL-A, F4459SL-B, F4451DL, F26DL, F24DL, F4450DL, F4350DL, F4579DL) or their associated tower assembly areas, have unavoidably been sited in locations mapped as EVC 132 Plains Grassland. Nine of these towers are located in patches assessed as both EPBC Act listed Natural Temperate Grassland of the Victorian Volcanic Plain (CR) TEC and FFG Act listed Western (Basalt) Plains Grassland Community. The other two towers are located in patches assessed as exclusively FFG Act listed Western (Basalt) Plains Grassland Community. An additional two towers (F4592DL and F4590DL) have been included where potential grassland habitat (and potential striped legless lizard/tussock skink/golden sun moth habitat) occurs and survey has yet to be undertaken.
- Haydens Hill and Callaghans Lane: Minimisation approaches have been used in some instances where large populations of threatened tree species (FFG Act listed Brooker's Gum, Melbourne Yellow Gum and Yarra Gum) have been encountered. This was achieved by altering design aspects. This includes a route revision to avoid one of the two Brooker's Gum populations through Haydens Hill, and the approach to the area of Yarra Gum was changed to reduce the impact, focusing on an area of Callaghans Lane where the population is less dense (where the distribution line crossing occurs).

2.1.5 Micro-siting route changes (last quarter 2022)

Micro-siting, associated with the Project Area and location of infrastructure, was undertaken with designers reducing impacts to listed TECs, including:

- EPBC Act Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of Southeastern Australia (En): The Project underwent design changes to reduce impacts to the TEC including removing stringing pads and rerouting access tracks.
- EPBC Act listed Natural Temperate Grassland of the Victorian Volcanic Plain (CR): Approach established to avoid impact to 33.70ha of the 38.005ha recorded within Project Area through modification of tower and access track placements. Conservation management, including low temperature ecological burns, can continue in areas managed for conservation purposes.
- FFG Act listed Western (Basalt) Plains Grasslands Community: Reduced impact by 52.149ha (58.608 ha to 6.459 ha) as per the approach described above for Natural Temperate Grassland.
- Partial Clearing approach: To reduce impact to threatened species (several threatened flora understorey species) a partial clearing approach was agreed to whereby canopy removal will only be undertaken in defined places (refer to the Biodiversity Impact Assessment for partial clearance definitions and locations).
- In instances where impacts could not be entirely avoided, the Project has implemented measures to minimise impacts. Where avoidance and minimisation were insufficient, the Project has committed to offsetting the residual impacts through the purchase of environmental offsets as well as conservation efforts, such as habitat restoration. This comprehensive approach upholds AusNet's responsibility to protect and preserve Victoria's biodiversity.



6

2.1.6 Micro-siting route changes (2023)

Micro-siting and route changes associated with the Project area and location of infrastructure, was undertaken with designers reducing impacts to biodiversity and listed TECs, including:

- The proposed route was realigned to the south near Moorabool River West Branch to reduce impacts on native vegetation including large old habitat trees and habitat for threatened species. Impacts to local wetlands were also avoided in the re-alignment.
- There were numerous access tracks proposed in the Darley area (south of Lerderderg State Park) initially located due to gradient, vehicle access and constructability constraints. The Project design was changed to re-locate these access tracks or utilise other access tracks which achieved significant avoidance of removal to native vegetation patches and large trees, threatened species including Bacchus Marsh Wattle, Melbourne Yellow-Gum, Austral Tobacco, Fragrant Saltbush and Brush-tailed Phascogale habitat and Rocky Chenopod Open-Scrub FFG Community.

2.1.7 Micro-siting route changes (2024)

Micro-siting and route changes associated with the Project area and location of infrastructure, was undertaken with designers reducing impacts to biodiversity and listed TECs, including:

- Some design changes were made in the Queensbury Way, Toolern Vale areas where the Proposed Route (towers and construction access) was positioned further south along the disturbed edge of EPBC community Natural Temperate Grassland of the VVP to avoid impacting higher quality vegetation through the centre.
- For the site selection of the new terminal station near Bulgana, six candidate sites were assessed against site selection criteria. Of these criteria, in relation to biodiversity, sites were preferred where they avoided to the greatest extent possible known or modelled ecological values including native vegetation, Vulnerable and Endangered Ecological Vegetation Classes, and threatened flora and fauna records. The selected site avoided significant numbers of large scattered trees, including FFG listed Buloke and Creekline Grassy Woodland FFG Community.

2.2 Mitigation and Environmental Performance Requirements

Mitigation means activities or specific actions that will reduce the severity of impacts. These could be measures undertaken to minimise impacts during construction such as engaging a qualified ecologist / wildlife handler to check for fauna occupancy of habitat features immediately prior to clearance activities or using low impact methods to carefully undertake selective vegetation clearance with minimal impact to non-target vegetation. They may also include rehabilitation activities such as the installation of nesting boxes in adjacent areas if hollow bearing trees have had to be removed.

Environmental Performance Requirements (EPRs) set out the environmental outcomes to be achieved through the implementation of mitigation measures during construction, operation and decommissioning to avoid, minimise and manage identified impacts. EPRs set out the environmental outcomes to be achieved through the implementation of mitigation measures during construction, operation and decommissioning to avoid, minimise and manage identified impacts.

Eight EPRs are proposed for the Project specific to biodiversity as detailed in the Biodiversity Impact Assessment.

EPR BD1: Complete Ecological Surveys and EPR BD8: Finalise Design further consider the avoid-minimise-offset hierarchy to reduce residual impacts and the offsets that the Project is required to provide which requires:

- Completion of ecological surveys (in areas yet to be surveyed) prior to finalising the design
- Confirmation through survey of the presence of native vegetation and threatened species habitat (which is expected to be lower than the modelled data and thus reduce the amount of vegetation to be removed and the offsets required)



- Reduction in the extent of vegetation that has been identified as being required to be removed in the easement corridor and identify no go zones
- Identification, through additional surveys, of native vegetation and threatened species habitat which can be
 avoided, or impacts minimised through design and establishment of no-go zones to reduce the extent of
 native vegetation removal and thus the amount of offsets required.

These updated surveys and design refinements will inform the final offset requirements for the Project.



3. Potential residual impacts on ecological values

3.1 Potential residual impacts on MNES

The Project is expected to impact several MNES, as defined under the EPBC Act. These impacts primarily concern ecological communities, threatened species and migratory species.

The construction and operation of the transmission line could lead to impacts to threatened communities by vegetation loss, and habitat loss, fragmentation and degradation may populations of some threatened species. Additionally, the Project may impact migratory bird species that rely on the region's wetlands and waterways for breeding and feeding.

Project impact analysis included impacts to native vegetation as a worst-case scenario, which was assessed using:

- Ground surveys (where access was available), and
- Desktop information, through the use of aerial imagery, modelled datasets and field observations for areas that have not been accessed for on-ground survey due to access constraints.

Table 3-1 provides a summary of the Project's residual impacts to MNES, after implementation of recommended mitigations outlined in Section 2.2 and defines the conservative worst-case scenario.

Table 3-1. Summary of Project impacts to MNES

Biodiversity value	Impacted field mapped habitat (ha) or individuals	Impacted potential desktop mapped habitat (ha)	Estimated Worst case project impact scenario (ha)	Significant impact rating
EPBC Act listed threater	ned communities			
Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of South- eastern Australia	6.79ha	9.82	16.61	Likely
Natural Temperate Grassland of the Victorian Volcanic Plain	4.47ha	0.90	5.37	Likely
White Box-Yellow Box- Blakely's Red Gum Grassy Woodland	0.00ha	17.00#	5.00#	Possible
EPBC Act listed threater	ned fauna			
Growling Grass Frog	0.02ha	0.72	0.74	Unlikely
Gang-Gang Cockatoo	26.67ha	6.75	33.42	Unlikely
Brown Treecreeper	62.31ha	6.95	69.26	Unlikely
Painted Honeyeater	37.79ha	4.26	42.05	Unlikely
Swift Parrot	16.89ha	1.33	18.22	Unlikely
Hooded Robin	31.69ha	3.14	34.83	Unlikely
Blue-winged Parrot	86.23ha	22.64	108.87	Unlikely
Diamond Firetail	52.92ha	3.68	56.60	Unlikely
Golden Sun Moth	9.71ha	11.29	21.00	Possible
Southern Greater Glider	0.00ha	12.06	12.06	Possible



9

Biodiversity value	Impacted field mapped habitat (ha) or individuals	Impacted potential desktop mapped habitat (ha)	Estimated Worst case project impact scenario (ha)	Significant impact rating	
Grey-headed Flying-fox	0.00ha	10.17	10.17	Unlikely	
Victorian Grassland Earless Dragon	3.48ha	0.00	3.48	Possible	
Striped Legless Lizard	1.44ha	0.00	1.44	Possible	
EPBC Act listed threate	EPBC Act listed threatened flora				
Matted Flax-lily	0 individuals	40.25	40.25	Unlikely	
Small Golden Moth Orchid	0 individuals	1.00	1.00	Unlikely	
Swamp Fireweed	0 individuals	3.99	3.99	Unlikely	

^{*} Desktop review, preliminary survey and general survey of nearby areas indicate that most of these areas are unlikely to support the TEC (White Box-Yellow Box-Blakely's Red Gum Grassy Woodland) due to incorrect floristics (e.g., lack of Yellow Box) or relatively small size and poor quality of patches that do not meet the condition thresholds to qualify. While 17ha of modelled potential extent occurs, it is estimated that no more than 5ha is likely to qualify as the TEC. This will be further refined with on-ground surveys.

For the column 'Impacted field mapped habitat or individuals', this is what has been confirmed as present via onground surveys, where access was granted for survey work. Therefore, figures in this column are confirmed.

For the column 'Impacted potential via desktop mapped habitat (ha)', this is what has been identified via a desktop search as potential to occur, but the area has not yet been surveyed, as access has not been granted. This is based off the integrated native vegetation assessment (method described in the Biodiversity Impact Assessment Report, section 5.12 methods used in the absence of field survey).

A 'worst case project impact scenario' has been determined by adding the confirmed presence with the yet to be determined desktop estimation. Therefore, a worst-case scenario figure has been presented, based on a highly conservative approach, where actual impacts will be less. Further surveys shall be progressed as access becomes available to reduce reliance on desktop data and therefore reduce impacts and refine offsets required.

There are three levels of 'significant impact'. If an impact has been deemed unlikely, no offset calculations have been undertaken. However, if an impact has been identified as likely to occur, or possible (that is, insufficient evidence to rule that impacts are unlikely) then offset calculations were undertaken.

No White Box-Yellow Box-Blakely's Red Gum Grassy Woodland and Derived Native Grassland has been mapped within the Project Area. Desktop assessment identified 17ha of potential occurrence of EVCs that may support White Box-Yellow Box-Blakely's Red Gum Grassy Woodland within the Construction Footprint. Desktop review, preliminary survey and general survey of nearby areas indicate that most of these areas are unlikely to support the TEC due to incorrect floristics (e.g., lack of Yellow Box) or relatively small size and poor quality of patches that do not meet the condition thresholds to qualify. It is estimated that no more than 5 ha is likely to qualify as the TEC.

At least one patch of vegetation not formally assessed at this stage of the Project and located at the western end of the Project Area, is known to support a Yellow Box canopy over a moderately intact understorey. While this and a small number of other patches may support this TEC, the overall area impacted that meets the condition thresholds to qualify as the TEC is estimated to be no more than 5ha.

Regarding the Southern Greater Glider, while the species was not recorded during targeted survey, 12.06ha within the Construction Footprint is considered as potential refuge habitat for the population that occurs approximately 4km north-east within the Wombat State Forest. This area is the south-western limit of the species' range. The impacted area is part of a patch that is fragmented from the larger areas of habitat to the north. The habitat is of lower quality, with generally younger trees and very limited large hollows apparent.



Houses occur approximately 200m south of the impacted area. It is thought that the habitat may be utilised by the species, most likely as refuge habitat should a catastrophe such as a bushfire impact the higher quality habitat to the north.

3.2 Potential impacts on State matters

The Project is expected to impact state biodiversity matters, particularly habitats of state-listed threatened species. The construction and operation of the transmission line could lead to habitat loss and fragmentation. Additionally, the Project may impact important ecological communities, including native grasslands and woodlands, which are crucial for maintaining biodiversity and ecosystem health.

Table 3-2 summarises residual impacts to native vegetation, and Table 3-3 provides a summary of the Project's residual impacts to state significant flora and fauna values, after implementation of recommended mitigations outlined in Section 2.2.

Figures have been calculated in accordance with the guidelines and has been generated using DEECA's EnSYM Native Vegetation Regulations (NVR) tool.

Table 3-2. Summary of Project impact to native vegetation

Native vegetation impacts			
Patches		229.71ha¹	
Large canopy trees in patches		844	
Scattered trees Large		147	
	Small	66	

Table 3-3. Summary of Project impact to state significant flora and fauna values

Biodiversity value	Impacted field mapped habitat (ha) or individuals	Impacted potential via desktop mapped habitat (ha)	
FFG Act listed threatened communities			
Creekline Grassy Woodland (Goldfields) Community	6.05ha	1.26	
Grey Box – Buloke Grassy Woodland	0.00ha	5.84	
Rocky Chenopod Open-Scrub Community	3.33ha	14.67	
Western Basalt Plains Grasslands (River Red Gum) Community	0.00ha	6.76	
Western (Basalt) Plains Grasslands Community	7.99ha	0.90	
Victorian Temperate Woodland Bird Community	47.41ha	12.66	
FFG Act listed fauna			
Western Burrowing Crayfish	0.01ha	0.00	
White-bellied Sea-Eagle	15.53ha	0.10	
Square-tailed Kite	65.44ha	8.84	
Barking Owl	0.00ha	27.20	
Powerful Owl	13.36ha	10.60	

¹ A total of 238.607ha of native vegetation is to be impacted by the Project (as presented within the Native Vegetation Removal report). Of this, 229.71ha consist of patches and 8.90ha consists of the extent of scattered trees.



Biodiversity value	Impacted field mapped habitat (ha) or individuals	Impacted potential via desktop mapped habitat (ha)
Platypus	0.00ha	0.03
Brush-tailed Phascogale	9.16ha	7.44
Tussock Skink	2.04ha	1.31
Brown Toadlet	0.66ha	0.00
Fat-tailed Dunnart	0.00ha	21.00
Masked Owl	0.00ha	27.20
FFG Act listed flora		
Bacchus Marsh Wattle	500 individuals	21.53
Buloke	27 individuals	47.25
Cane Spear-grass	0 individuals	33.51
Brooker's Gum	233 individuals	22.83
Melbourne Yellow Gum	534 individuals	19.42
Yarra Gum	63 individuals	40.32
Brittle Greenhood	1388 individuals	20.60
Fragrant Saltbush	3081 individuals	33.05
Floodplain Fireweed	0 individuals	3.99
Glaucous Flax-lily	0 individuals	40.25



4. Offset Requirements

4.1 Overall offsets

Offsets will be required for the Project to compensate for the residual significant impacts on biodiversity that cannot be mitigated through avoidance or minimisation. This is a crucial aspect of the Project's environmental management strategy. By obtaining the required offsets, the Project will align with state (FFA and P&E Act) and federal (EPBC Act) environmental legislation, demonstrating a commitment to sustainable development and mitigating impacts on Victoria's biodiversity.

4.1.1 Commonwealth requirements

Under the EPBC Act, specific offsets are considered necessary for any predicted significant impacts. The Project has the potential to result in significant impacts to six EPBC Act listed matters associated with the Project. Table 4-1 provides an estimation of EPBC Act offset requirements for the Project based on surveys as well as worst-case scenario that includes desktop potential figures where survey has not yet been completed to confirm presence.

Using the Commonwealth offset assessment guidance materials the quantum of impact (ha) is based on threatened status of TEC or species, area impacted and the quality score of the impacted habitat as outlined in the offset calculator.

The area to be offset was determined by using the Commonwealth offset calculator. Inputs for the calculator included:

- Quantum of impact score
- 20 years for the risk related time horizon
- 10 years for time until ecological benefit
- Quality score of impacted habitat
- Future score without offset as the same input as the quality score
- Future quality with offset using a 1-point increase
- 70 percent confidence.

Using conservative input figures defined above, a worst-case offset requirement has been calculated using the Commonwealth offset calculator, which provides a guide to the estimated size of the offset area required, as shown in Table 4-1. Once the quality of the individual offset sites is defined in detail and the quality scores determined, the offset calculations will be re-run to give a final offset area required. It is expected that this will be less than the worst-case offset requirement included in the strategy. Advice from Department of Climate Change, Energy, the Environment and Water (DCCEEW) will inform the process and final calculator inputs. The final requirement for EPBC Act offsets is pending the outcome of the EPBC Act determination and may be subject to change.



Table 4-1. EPBC offset requirements

Offset type	Field mapped and modelled data combined to represent an estimated worst-case scenario	Impacted area (ha)	Quality score	Quantum of impact (ha)	Area to be offset (ha)
Grey Box (Eucalyptus	Field mapped	6.79	5	3.4	54.65
microcarpa) Grassy Woodlands and Derived Native Grasslands	Modelled data	9.82	5	4.91	79.03
of South-eastern Australia	Worst-case TEC impact	16.61	5	8.31	133.68
Natural Temperate Grassland of	Field mapped	4.47	3	1.34	36.99
the Victorian Volcanic Plain	Modelled data	0.9	3	0.27	7.45
	Worst-case TEC impact	5.37	3	1.61	44.44
White Box-Yellow Box-Blakely's	Field mapped	0.00	-	-	-
Red Gum Grassy Woodland	Modelled data	17.00*	-	-	-
	Worst-case# TEC impact	5.00*	3	1.50	41.38*
Golden Sun Moth habitat	Field mapped	9.71	4	3.88	56.61
	Modelled data	11.29	4	4.52	65.81
	Worst-case habitat impact	21.00	4	8.4	122.42
Southern Greater Glider habitat	Field mapped	12.06	4	4.82	77.68
Victorian Grassland Earless Dragon habitat	Field mapped	3.48	3	1.04	28.80
Striped Legless Lizard habitat	Field mapped	1.44	3	0.39	6.30

[#] Desktop review, preliminary survey and general survey of nearby areas indicate that most of these areas are unlikely to support the TEC (White Box-Yellow Box-Blakely's Red Gum Grassy Woodland) due to incorrect floristics (e.g., lack of Yellow Box) or relatively small size and poor quality of patches that do not meet the condition thresholds to qualify.

NOTE: The table is indicative only and outlines 100% offset requirements based on a worst-case scenario which includes modelled data. This is subject to change with further surveys undertaken to reduce impacts identified through use of modelled data.

The detailed calculation of the quality scores summarised in Table 4-1 are outlined in Table A-1 to Table A-7 (Appendix A).

4.1.2 State requirements

State offsets are required as a result from the clearing of native vegetation, which can overlap with habitats modelled for threatened species. These biodiversity offsets are calculated by following the Guidelines, a document incorporated within the Victoria Planning Provisions under Clause 52.17. The losses and gains are quantified in general habitat units (GHU) or species habitat units (SHU). Table 4-2 displays the native vegetation offset requirements under the Guidelines.

^{*} While 17ha of modelled potential extent occurs, it is estimated that no more than 5ha is likely to qualify as the TEC. This will be further refined with on-ground surveys.



Table 4-2. Native vegetation offset requirements

Offset requirements			
General	General offset amount	2.832 general habitat units (GHU)	
offset	Minimum strategic biodiversity value score	0.277	
	Large trees	44 large trees	
Species offset	Species offset amount	555.907 species habitat units (SHU) comprising 20 species	
	Large trees	944 large trees	

4.2 Commonwealth offset calculations

To determine offsets required for the Project, the residual impact and quality for each MNES must be used to calculate the 'Quantum of Impact', as described by the EPBC Act Offset Assessment Guide (DSEWPAC 2012a and DSEWPAC 2012b). The amount of direct offset needed to achieve a tangible and measurable conservation gain, compensating for the 'Quantum of Impact' on the MNES, is calculated by various factors as detailed in the EPBC Act Offset Assessment Guide and How to use the offsets assessment guide documentation (DSEWPAC 2012a and DSEWPAC 2012b), including:

- What enhancement will the offset provide for the affected attribute?
 - Time required to achieve ecological benefit
 - Confidence in the result.
- What is the extent of loss prevention due to the proposed offset?
 - Change in risk of loss
 - Duration over which loss is prevented
 - Confidence in the result.

4.2.1 Assumptions

The Commonwealth offset policy states 'Direct offsets are an essential component of a suitable offsets package. A minimum of 90 per cent of the offset requirements for any given impact must be met through direct offsets.' However, it is AusNet's intention to achieve 100 per cent direct offsets where possible. If indirect offsets are to be considered, it will be as a risk mitigation approach to manage any changes that may occur during the EES process that directly impacts on biodiversity values and offsets. Consultation and approval will be undertaken with relevant authorities for this pathway to be considered in accordance with State guidelines and Commonwealth policy.

The extent of native vegetation removal has not yet been finalised. AusNet will continue to progress surveys to better understand actual offset requirements versus the worst-case scenario. The offset values and calculations provided within this draft OMS are presented as (a) what has been confirmed / known via surveys and (b) modelled desktop data with potential for habitat (this assumes that all desktop analysis is correct in areas where land access constraints exist currently and therefore over-estimates impacts). It is also based on a conservative removal of all vegetation in the easement corridor, which will be reduced by more accurate design indicating the pathway to protect at risk vegetation and create no go zones in the easement corridor so more vegetation can be retained. This is required under EPR BD1 and BD8 (Section 2.2).

These datasets combined provide a worst-case scenario that is highly conservative, and overestimates impacts and offsets required. As more areas are surveyed, worst-case calculations will be updated to confirm actual offsets required for the Project, and it is anticipated that the offset liability will be reduced. However, to give an indication on the scale of offsets (through applying a very conservative approach), calculations have been run to consider the worst-case scenario offset requirements. Some assumptions include:



- Risk of Loss (without Offset) until specific site details become available a risk of loss of 0 is assumed for all
 calculations presented in this draft OMS.
- Change in quality (without offset) in the absence of any site-specific due diligence being undertaken a conservative approach has been undertaken assuming no decline in quality will occur without offset.
- Change in quality (with offset) a gain in quality of 1-point is assumed for each offset site based on the
 implementation of a site-specific and fully funded offset management plan (an active management of 10
 years is assumed for each site and OMP).
- Time until ecological benefit a period of 10 years is assumed based on the end of the assumed active management period for each site.
- Confidence in results change in quality, an assumed confidence of 70 per cent has been used in the absence of any site-specific due diligence being undertaken.
- Percentage of impact offset One hundred percent direct offset will be sought wherever possible.

These elements contribute to the minimum conservation gain provided by the direct offset to mitigate the anticipated impacts.

In accordance with Commonwealth offset policy, if 100 per cent direct offset is unable to be achieved, then the 90 per cent target described in the Commonwealth offset policy will be used, where the remaining ten per cent is achieved through other compensatory measures. If this approach is required, consultation with relevant authorities (e.g., DEECA, DCCEEW) must be undertaken so that appropriate options and the correct processes are followed, with subsequent approval provided.

As discussed in Section 3.1, the Project will impact a number of MNES including three TECs (Grey Box (*Eucalyptus microcarpa*) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia, Natural Temperate Grassland of the Victorian Volcanic Plain and White Box-Yellow Box-Blakely's Red Gum Grassy Woodland), and habitat associated with four EPBC listed species (Golden Sun Moth, Southern Greater Glider, Victoria Grassland Earless Dragon, Striped Legless Lizard).

The following sections outline preliminary offsets assessment guide calculations, based on data from surveyed areas and modelled data from areas not yet surveyed (due to access constraints) to give a worst case scenario as an indication to the size of offset that would be required to meet the EPBC Act offset requirements for the relevant species. More details on draft offset calculations are provided in Appendix A.

Final offset calculations will be undertaken once the extent of vegetation clearing has been determined and surveys completed.

4.2.2 Grey Box (*Eucalyptus microcarpa*) Grassy Woodlands and Derived Native Grasslands of Southeastern Australia

Within the Project Area, 6.61ha (6.79ha recorded habitat and 9.82ha desktop assessment in areas not yet surveyed) is anticipated to be impacted.

Using the recorded habitat value, and inputs outlined in Section 4.1 to achieve 100 percent of direct offset, the Project would require an offset of 133.68ha of this TEC. However, this is the worst-case scenario with an area of (79.03ha) required based on current modelled data, and it is expected that a lower offset will be required when outstanding surveys are completed.

4.2.3 Natural Temperate Grassland of the Victorian Volcanic Plain

Within the Project Area, 38.05ha of Natural Temperate Grassland of the Victorian Volcanic Plain TEC has been recorded. Of this 5.37ha (4.47ha recorded habitat and 0.90ha modelled in areas not yet surveyed) could be impacted.



Using the recorded habitat value and inputs outlined in Section 4.1, to achieve 100 per cent of direct offset, the Project would require an offset of 44.44ha. However, this is the worst-case scenario with an area of (7.45ha) required based on current modelled data, and it is expected that a lower offset will be required when outstanding surveys are completed.

4.2.4 White Box-Yellow Box-Blakely's Red Gum Grassy Woodland

White Box-Yellow Box-Blakely's Red Gum Grassy Woodland TEC has not been identified through current surveys completed. Based on desktop assessment, the potential for 17.0ha of TEC has been modelled in areas of the Construction Footprint not yet surveyed due to access limitations. Desktop review, preliminary survey and general survey of nearby areas indicate that most of these areas are unlikely to support the TEC due to incorrect floristics (e.g., lack of Yellow Box) or relatively small size and poor quality of patches that do not meet the condition thresholds to qualify. It is estimated that no more than 5ha is likely to qualify as the TEC.

Using the recorded habitat value and inputs outlined in Section 4.1, to achieve 100 per cent of direct offset, the Project would require an offset of 41.38ha. However, this is the estimated worst-case scenario, based on current field observation on the likely upper limit of the extent of impacted vegetation that will meet the TEC criteria and it is expected that a lower offset will be required when outstanding surveys are completed.

4.2.5 Golden Sun Moth habitat

Within the Project Area, 250ha of potential habitat for Golden Sun Moth has been recorded. Of this, 21.00ha of mapped Golden Sun Moth habitat comprising 30 locations across the Project Area are proposed to be directly impacted due to ground disturbance activities. Given the species occurs in primarily grassland habitat it is presumed fuel reduction activities associated with the Project will not impact habitat for the species.

Based on the preliminary offsets assessment guide calculation, to achieve 100 per cent of direct offset, the Project would require an offset 122.42ha of habitat.

4.2.6 Southern Greater Glider habitat

While the species was not recorded in targeted surveys completed, 12.06ha of potential field mapped habitat will be lost in the Haydens Hill area. This habitat is somewhat fragmented from the larger area of habitat on public land to the north in which the species has been recorded (approximately four kilometres north-east), but may still act as refuge habitat.

Based on the preliminary offsets assessment guide calculation, to achieve 100 per cent of direct offset, the Project would require an offset of 77.68ha of habitat.

4.2.7 Victorian Grassland Earless Dragon habitat

Given the very limited known extent of this species, it seems unlikely the areas of potential habitat in the Project Area support the species. However, its potential presence cannot be excluded, and potential habitat of 10.40ha has been recorded within the Project Area. Only habitat within the Construction Footprint is presumed to be impacted by the Project, as these areas will be subject to ground disturbance, and therefore 3.48ha is anticipated to be impacted. Given the species occurs in primarily grassland habitat, no go zones will be used to protect habitat in areas and will not impact habitat for the species.

Based on the preliminary offsets assessment guide calculation, to achieve 100 per cent of direct offset, the Project would require an offset of 28.80ha of habitat.

4.2.8 Striped Legless Lizard habitat

Approximately 10.40ha of potential Striped Legless Lizard habitat was recorded within the Project Area and 1.44ha within the construction footprint, across four discrete areas of potential habitat.



Given the species occurs in primarily grassland habitat, no-go zones will be used to protect habitat in areas and will not impact habitat for the species.

Based on the preliminary offsets assessment guide calculation, to achieve 100 per cent of direct offset, the Project would require an offset of 6.30ha of habitat.

4.3 State Offset calculations

The expected vegetation removal described in Section 3.2 was analysed using DEECA's EnSym Native Vegetation Regulations (NVR) tool to determine the offset requirements for the Project. The native vegetation removal scenario test (EnSym report) for this assessment is included in Section 10 and Appendix O of the Biodiversity Impact Assessment and summarised in Table 4-3 and Table 4-4 below.

The offset values and calculations provided within this draft OMS are presented as (a) what has been confirmed / known via surveys and (b) worst case (where the entire easement has been used to inform EnSym report outputs). Once the Construction Footprint has been finalised, a Native Vegetation Removal report will be produced with the final quantification of impact and associated offsets under the Guidelines. However, the currently anticipated calculations are presented in the following sections as an indication of the required offsets.

4.3.1 General Habitat Units

The general offset amount required as calculated by the native vegetation removal scenario test (EnSym report) is presented in Table 4-3 alongside the sum of all general habitat units. The Project will require 2.832 general offset units with a minimum strategic biodiversity value score of 0.277.

Table 4-3. Native vegetation offset requirements

Offset requirements		
General offset	General offset amount	2.832 general offset units
	Vicinity	Corangamite, North Central, Port Phillip and Westernport, Wimmera Catchment Management Authority or Ballarat City, Hepburn Shire, Melton City, Moorabool Shire, Northern Grampians Shire, Pyrenees Shire Councils
	Minimum strategic biodiversity value score	0.277
	Large trees	44 large trees

4.3.2 Species Habitat Units

The species-general offset test (detailed in the EnSym report) determines if the proposed removal of native vegetation has a proportional impact on any rare or threatened species habitats above the species offset threshold. The threshold is set at 0.005 per cent of the mapped habitat value for a species. When the proportional impact is above the species offset threshold, a species offset is required. This test has been undertaken for all relevant species mapped at the site. Multiple species offsets will be required if the species offset threshold is exceeded for multiple species. The results of the species offset test are detailed in Table 4-4 indicating the species units of habitat required.



Table 4-4. Species offset requirements

Offset re	equirements	
Species	Species offset amount	24.821 species units of habitat for Spotted Hyacinth-orchid, Dipodium pardalinum
offset		 23.146 species units of habitat for Victorian Grassland Earless Dragon, Tympanocryptis pinguicolla
		■ 102.005 species units of habitat for Golden Sun Moth, Synemon plana
		20.275 species units of habitat for Wiry Bossiaea, Bossiaea cordigera
		29.596 species units of habitat for Brooker's Gum, Eucalyptus brookeriana
		86.892 species units of habitat for Yarra Gum, Eucalyptus yarraensis
		6.790 species units of habitat for Small Golden Moths, <i>Diuris basaltica</i>
		33.951 species units of habitat for Goldfields Grevillea, Grevillea dryophylla
		16.956 species units of habitat for Ben Major Grevillea, Grevillea floripendula
		12.247 species units of habitat for Brittle Greenhood, <i>Pterostylis truncata</i>
		26.292 species units of habitat for Fragrant Saltbush, Rhagodia parabolica
		 20.415 species units of habitat for Heath Spear-grass, Austrostipa exilis
		 23.397 species units of habitat for Melbourne Yellow-gum, Eucalyptus leucoxylon subsp. connata
		4.483 species units of habitat for Golden Bush-pea, Pultenaea gunnii subsp. tuberculata
		 24.135 species units of habitat for Wombat Bush-pea, Pultenaea reflexifolia
		■ 57.628 species units of habitat for Matted Flax-lily, <i>Dianella amoena</i>
		21.541 species units of habitat for Bacchus Marsh Wattle, <i>Acacia rostriformis</i>
		■ 15.054 species units of habitat for Shiny Leionema, Leionema lamprophyllum subsp. obovatum
		2.789 species units of habitat for Gum-barked Bundy, Eucalyptus goniocalyx subsp. laxa
		3.494 species units of habitat for Werribee Blue-box, Eucalyptus baueriana subsp. thalassina
	Large trees	947 trees
Number of	f large trees that the st protect	991 large trees (inclusive of above totals) to be protected in either the general, species or combination across all habitat units protected



5. Proposed Offset Management Strategy

Offset management strategies are designed to outline how unavoidable impacts on biodiversity will be addressed. This draft OMS emphasises a structured approach to compensating for the loss of native vegetation and habitats, ensuring that the overall biodiversity value is maintained or enhanced.

Central to the OMS is the identification and protection of offset sites that may provide equivalent or greater ecological value compared to the impacted areas. This could involve restoring or enhancing habitats to support the impacted threatened matters, using measures such as replanting native vegetation, managing invasive species, and improving habitat connectivity to facilitate wildlife movement and genetic exchange. Additionally, the Project commits to long-term monitoring and management of offset sites to maintain their ecological integrity and effectiveness over time.

By implementing these measures, the Project aims to achieve a net gain in biodiversity, aligning with both state and federal environmental legislation. This approach not only compensates for the Project's direct impacts but also contributes to broader conservation goals, supporting the resilience and sustainability of Victoria's biodiversity.

The Commonwealth offset policy states 'Direct offsets are an essential component of a suitable offsets package. A minimum of 90 per cent of the offset requirements for any given impact must be met through direct offsets.'

The following steps have been progressed to identify offsets required for the Project and an accredited offset broker has been engaged to inform our strategy and approach to securing offsets as the Project develops.

- Identifying availability of offsets for State and Commonwealth (Section 5.1 5.3)
- Offset security mechanisms (Section 5.4)
- Additional ongoing steps (Section 5.5)
- Alternative offsets process (Section 5.6)
- Development of Offset Management Plan(s) (Section 5.7).

5.1 Identifying offsets

The following approach has been undertaken to identify offsets required for the Project to date (in consultation with an offset broker) and includes:

- Undertaking a review and risk assessment to identify current market availability of offsets and identifying risks and potential supply shortages of specific offsets required for the Project (December 2022).
- Development of an overall strategy to identify and secure offsets, that included an updated review of key supply shortages in the state offset market for Species Offsets and Commonwealth MNES and outlined steps required to identify and procure key offsets where a supply risk was identified (December 2023).
- Implementation of the strategy (undertaken by a registered offset broker).
- A review of project offset requirements and supply shortages including identification of further steps required to identify and procure offsets for species or MNES with new or persistent supply risk (September 2024 - ongoing).

5.1.1 Risk assessment and review of offset availability

The review and risk assessment approach to identify potentially constrained offsets considered several factors when assessing potential availability risk for State offsets, this included:

- Defining availability of potential offsets currently registered on the NVCR (applicable to State offsets only).
- Working with a broker to identify any potential offset sites under development (not currently available on the market or registered on the NVCR) that can provide all or partial offset requirements.



Profiling any potential new offset sites within the vicinity of WRL through reviewing geographic distribution
of potential habitat for Commonwealth offset for MNES and State Species Offsets (using DEECA Habitat
Importance Modelling (HIM) and Ecological Vegetation Class (EVC) mapping).

Approaching landholders to gauge interest in establishing an offset site. The initial review of offset availability was undertaken in December 2022 in consultation with the broker and identified several State (species offsets) and Commonwealth offsets with potential for supply and availability. This approach allowed for a more targeted method to be undertaken to identify potential offset sites on several un-registered properties to better quantify offset availability.

5.1.2 Overall strategy for identifying offset sites

An overall strategy was developed and implemented through engagement of an accredited offset broker in December 2023. The following steps were implemented through the offset broker and included:

- Critical Habitat Mapping using Habitat Importance Model (HIM) data for each species to define candidate areas with potential to generate SHUs for each species within a 10km proximity to the proposed Project route.
- Cross referencing with species occurrence records from Atlas of Living Australia to identify any additional
 candidate areas that are excluded from the HIMs but with potential to supply SHUs via an alternative offset
 pathway based on actual presence of the species.
- Quantifying extent of native vegetation cover on properties and eliminating those that are obviously agricultural / cleared, or with little to no native vegetation evident (review of DEECA EVC mapping and aerial imagery).
- Using VicMap Property GIS datasets to identify properties underlying the candidate areas and locate property boundaries, zoning and Standard Parcel Identifiers for each potential property within the candidate areas.
- Eliminating all properties that are listed as existing offset sites.
- Undertaking a mail out process to all properties with the potential to supply offsets based on the above criteria used to gauge any interest from landholders, including a secondary mail out process where required.
- Undertaking Due Diligence Assessments (by a DEECA registered offset site assessor) to determine suitability
 of and number of SHU available for any candidate sites identified.

Sections 5.2 and 5.3 discuss the status of offset availability for the Project for Commonwealth and State offset requirements and incorporate the information and findings from the above steps already implemented to identify and secure any high risks offsets early for the Project.

5.2 Identifying required Commonwealth offsets

In Sections 4.1.1 and 4.2, core offset calculations were conducted to determine the size of required offsets. These calculations are an estimation of EPBC Act offset requirements for the Project based on surveys completed, as well as worst-case scenario removal based on modelled desktop values of potential habitat. The following section provides a summary of progress on available EPBC offsets that may need to be secured for the Project based on the worst case estimates as well as alignment with the eight Commonwealth offset principles.

The Project has identified a number of potential offset sites that it will enter into agreements with the landholders to facilitate registration of the offsets to secure them for the Project. A summary of these offsets is included in Table 5-1 to define current offset availability for the Project.



Table 5-1. Summary of offsets availability for the relevant MNES

Offset stage	Offset availability
AusNet are continuing to undertake further surveys on the proposed route, to ground-truth modelled data in order to confirm actual offset requirements and reduce	Grey Box (<i>Eucalyptus microcarpa</i>) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia Three sites identified that can supply approximately 150ha of the direct offset requirements.
reliance on modelled data and reduce the amount of vegetation that is required to be removed and therefore to reduce the overall	Natural Temperate Grassland of the Victorian Volcanic Plain One site identified that can supply approximately 45ha of the direct offset requirements.
offset requirements for the Project. Option agreements are being used to secure offsets prior to project approval based on the	Golden Sun Moth habitat Three sites identified that can supply approximately 125ha of the direct offset requirements.
conservative assessment. Offset estimates are based on conservative inputs used to inform the EPBC calculator to provide a worst-case upper limit. These inputs will be further refined with specific offset sites and direct consultation with	Southern Greater Glider habitat Three sites identified that can supply approximately 89ha of the direct offset requirement. AusNet are undertaking further design refinements to confirm additional reductions in accordance with EPR BD1.
DCCEEW to meet the EPBC Policy requirements.	Striped Legless Lizard habitat One site identified that can supply approximately 6.5ha of the direct offset requirement. Victorian Grassland Earless Dragon habitat
	Two sites identified that can supply approximately 28.80ha.
	White Box-Yellow Box-Blakely's Red Gum Grassy Woodland One site identified that can supply approximately 45ha. It is expected that the amount of required offsets will reduce through further site surveys. EPR BD8 requires surveys of this threatened community to be done to confirm presence and also requires AusNet to avoid and minimise impacts through design refinements to reduce impacts and confirm actual offset requirements.

This draft Offset Management Strategy for the Project has been prepared in accordance with the EPBC Act Environmental Offsets Policy (DSEWPAC, 2012c) which contains eight principles that must be adhered to. Table 5-2 and Table 5-3 outline how each principle will be met for the seven matters.



Table 5-2. Adherence to EPBC Act offset principles relating to offsets for Grey Box (*Eucalyptus microcarpa*) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia and the Natural Temperate Grassland of the Victorian Volcanic Plain

Offset principle	Offset Requirement	Justification for offset site - Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia	Justification for offset site - Natural Temperate Grassland of the Victorian Volcanic Plain	White Box-Yellow Box-Blakely's Red Gum Grassy Woodland		
1	Suitable offsets must deliver an overall conservation outcome that improves or maintains the viability of the protected matter.	The protection and management of the offset site(s) would deliver up to 133.68ha of this community (noting this is based on a worst case estimate scenario and AusNet expects the offset requirements will be lower, when all survey work is completed).	The protection and management of the offset site would deliver up to 44.44ha of this community (noting this is a worst case estimate scenario and AusNet expects the offset requirement will be lower, when all survey work is completed).	The protection and management of the offset site would deliver up to 41.38ha of this community (noting this offset is based on an estimate of worst-case scenario removal of vegetation and a worst case offset estimate). AusNet expects offset requirement will be lower, when all survey work is completed).		
		The sites will be managed in accordance with an OMP that will provide specific management actions for the site and will deliver an increase in site condition score of 1 point out of 10, resulting in a conservation improvement.				
2	Suitable offsets must be built around direct offsets but may include other compensatory measures.	The offset site(s) would deliver 100% of the Project's offset requirement.	The offset site would deliver 100% of the Project's offset requirement.	The offset site would deliver 100% of the Project's offset requirement.		
		The offset site(s) will be managed in accordance with the OMP's through ongoing protection and associated on-ground measures to improve vegetation condition. AusNet are committed to trying to achieve a 100% direct offset. But if this is not possible, then other compensatory measures will be considered to reach the 100% offset requirement, including research and educational activities relevant to this MNES once the specific offset measure is identified.				
2.1	Tenure for direct offsets.	Where third-party offset sites will be established, the offset will be secured through application of a Trust for Nature covenant (under the <i>Conservation Trust Act</i> 1972) or a Section 69 agreement (under the <i>Conservation, Forest and Lands Act</i> 1987). Co-location of both state and federal offsets will be considered in consultation with DCCEEW and DEECA.				
2.2	Impacting on existing EPBC Act offsets.	TBD – pending site-specific details of potential offset sites.				
3	Suitable offsets must be in proportion to the level of statutory protection that applies to the protected matter.	This process relates to MNES of greater conservation status requiring greater offset requirements and is calculated using the Offset assessment guide. The recommended offset calculators have been used that have addressed proportionality in relation to the level of statutory protection that applies to each community; Critically endangered for Natural Temperate Grassland of the Victorian Volcanic Plain and endangered for Grey Box (<i>Eucalyptus microcarpa</i>) Grassy Woodlands, Derived Native Grasslands of South-eastern Australia and White Box-Yellow Box-Blakely's Red Gum Grassy Woodland				



Offset principle	Offset Requirement	Justification for offset site - Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia	Justification for offset site - Natural Temperate Grassland of the Victorian Volcanic Plain	White Box-Yellow Box-Blakely's Red Gum Grassy Woodland
4	Suitable offsets must be of a size and scale proportionate to the residual impacts on the protected matter.	The proposed offsets will meet the requirements for residual impact of direct loss of potentially 16.61ha (though only 6.79ha confirmed at this stage) of Grey Box (<i>Eucalyptus microcarpa</i>) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia TEC. It is calculated that an offset of 133.68ha of this community and an improvement in the site condition score of 1 point from 5 to 6 would compensate for 100% of the Project's residual impact on Grey Box (<i>Eucalyptus microcarpa</i>) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia.	The proposed offsets will meet the requirements for residual impact of direct loss of potentially 5.37ha (though only 4.41ha confirmed at this stage) of Natural Temperate Grassland of the Victorian Volcanic Plain TEC. It is calculated that an offset of 44.44ha of this community and an improvement in the site condition score of 1 point from 3 to 4 would compensate for 100% of the Project's residual impact on Natural Temperate Grassland of the Victorian Volcanic Plain.	The proposed offsets will meet the requirements for residual impact of direct loss of potentially 5ha (noting this extent, identified via desktop, has not been surveyed and thus not confirmed) of White Box-Yellow Box-Blakely's Red Gum Grassy Woodland TEC. It is calculated that an offset of 41.38ha of this community and an improvement in the site condition score of 1 point from 3 to 4 would compensate for 100% of the Project's residual impact on White Box-Yellow Box-Blakely's Red Gum Grassy Woodland.
5	Suitable offsets must effectively account for and manage the risks of the offset not succeeding.	The legally secured offset sites will be managed by the landowner under a legal contract and site-specific Offset Area Management Plan (OAMP) that will contain a risk assessment detailing all relevant risk and mitigation measures specific to the offset site and management, for example risk of bushfires, in line with DCCEEW environmental management plan guidelines (DCCEEW, 2024).		
6	Suitable offsets must be additional to what is already required, determined by law or planning regulations or agreed to under other schemes or programs.	No specific offsets for Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia or Natural Temperate Grassland of the Victorian Volcanic Plain or White Box-Yellow Box-Blakely's Red Gum Grassy Woodland are prescribed under any State or Local Government offset prescriptions relevant to the Project Area (TBC). State offsets for the removal of native vegetation in addition to the proposed offset sites for MNES will be secured for the Project. Environmental offsets already paid for under other schemes or programs cannot be used. However, if additional conservation gains on the same piece of land can be achieved these may be eligible for use as offsets provided that there are no perverse outcomes and synergies are produced. Additionality activities are to be confirmed (if appropriate) once specific offset measure is identified.		
6.1	Links with state and territory approval processes.	Approvals under the Environment Effects Act 1978 and Planning and Environment Act 1987, and the Flora and Fauna Guarantee Act 1988 (FFG Act) will be secured for the Project.		
7	Suitable offsets must be efficient, effective, timely, transparent, scientifically robust and reasonable.	The legally secured offset site will be actively managed by the landowner with the supervision of a suitably qualified ecologist through audits and monitoring. The proposed ecological benefit / gain will be achieved through proven management actions and monitored throughout the active management period (typically 10 years) to deliver the desired environmental outcomes. The OAMP will allow provision for adaptive management if required in response to offset monitoring results as required.		



Offset principle	Offset Requirement	Justification for offset site - Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia	Justification for offset site - Natural Temperate Grassland of the Victorian Volcanic Plain	White Box-Yellow Box-Blakely's Red Gum Grassy Woodland
8	Suitable offsets must have transparent governance arrangements including being able to be readily measured, monitored, audited and enforced.	Specific governance arrangements are to be confirmally Site condition will be monitored with monitoring demanagement) with performance targets and trigge	etails to be included in an OMP. Results will inform the ne	ed for additional interventions (adaptive

Table 5-3. Adherence to EPBC Act offset principles for offsets relating to the Golden Sun Moth, Southern Greater Glider, Victorian Grassland Earless Dragon, Striped Legless Lizard

Offset principle	Offset Requirement	Justification for offset site - Golden Sun Moth habitat	Justification for offset site - Southern Greater Glider habitat	Justification for offset site - Victorian Grassland Earless Dragon habitat	Justification for offset site – Striped Legless Lizard habitat
1	Suitable offsets must deliver an overall conservation outcome that improves or maintains the viability of the protected matter.	The protection and management of the offset site would deliver 122.42ha of this habitat.	The protection and management of the offset site would deliver 77.68 of this habitat.	The protection and management of the offset site would deliver 28.80ha of this habitat.	The protection and management of the offset site would deliver 6.30ha of this habitat.
		The site will be managed in accordance with an OMP that will provide specific management actions for the site and will deliver an increase in site condition score of 1 point out of 10, resulting in a conservation improvement.			
2	Suitable offsets must be built around direct offsets but may	The offset site would deliver 100% of the Project's offset requirement.	The offset site would deliver 100% of the Project's offset requirement.	The offset site would deliver 100% of the Project's offset requirement.	The offset site would deliver 100% of the Project's offset requirement.
	include other compensatory measures.	The management of habitat through ongoing protection and associated on-ground measures to improve vegetation condition is considered to be a direct offset. Once secured, offset sites would be managed in accordance with the OMP's. AusNet are committed to trying to achieve a 100% direct offset. But if this is not possible, then other compensatory measures will be considered to reach the 100% offset requirement, including research and educational activities relevant to the specific MNES.			
2.1	Tenure for direct offsets.	Where third-party offset sites will be established, the offset will be secured through application of a Trust for Nature covenant (under the Conservation Trust Act 1972) or a Section 69 agreement (under the Conservation, Forest and Lands Act 1987). Co-location of both state and federal offsets will be considered in consultation with DCCEEW and DEECA.			



Offset principle	Offset Requirement	Justification for offset site - Golden Sun Moth habitat	Justification for offset site - Southern Greater Glider habitat	Justification for offset site - Victorian Grassland Earless Dragon habitat	Justification for offset site – Striped Legless Lizard habitat
2.2	Impacting on existing EPBC Act offsets.	TBD			
3	Suitable offsets must be in proportion to the level of statutory protection that applies to the protected matter.	The recommended offset calculators ha	This process relates to MNES of greater conservation status requiring greater offset requirements and is calculated using the Offset assessment guide. The recommended offset calculators have been used that have addressed proportionality in relation to the level of statutory protection that applies to each species, critically endangered for Victorian Grassland Earless Dragon, endangered for Southern Greater Glider and vulnerable for Golden Sun Moth and Striped Legless Lizard.		
4	Suitable offsets must be of a size and scale proportionate to the residual impacts on the protected matter.	The proposed offsets will meet the requirements for residual impact of direct loss of 21.00ha of Golden Sun Moth habitat. It is calculated that an offset of 122.42ha of this habitat and an improvement in the site condition score of 1 point from 4 to 5 would compensate for 100% of the Project's residual impact on Golden Sun Moth habitat.	The proposed offsets will meet the requirements for residual impact of direct loss of 12.06ha of Southern Greater Glider habitat. It is calculated that an offset of 77.68ha of this habitat and an improvement in the site condition score of 1 point from 4 to 5 would compensate for 100% of the Project's residual impact on Southern Greater Glider habitat.	The proposed offsets will meet the requirements for residual impact of direct loss of 3.48ha of Victorian Grassland Earless Dragon habitat. It is calculated that an offset of 28.80ha of this habitat and an improvement in the site condition score of 1 point from 3 to 4 would compensate for 100% of the Project's residual impact on Victorian Grassland Earless Dragon habitat.	The proposed offsets will meet the requirements for residual impact of direct loss of 1.44ha of Striped Legless Lizard habitat. It is calculated that an offset of 6.30ha of this habitat and an improvement in the site condition score of 1 point from 3 to 4 would compensate for 100% of the Project's residual impact on Striped Legless Lizard.
5	Suitable offsets must effectively account for and manage the risks of the offset not succeeding.	The legally secured offset sites will be managed by the landowner under a legal contract and site-specific OMP that will contain a risk assessment detailing all relevant risk and mitigation measures specific to the offset site and management, for example risk of bushfires, in line with DCCEEW environmental management plan guidelines (DCCEEW, 2024).			
6	Suitable offsets must be additional to what is already required, determined by law or planning regulations or agreed to under other schemes or programs.	No specific offsets for Golden Sun Moth, Southern Greater Glider, Victorian Grassland Earless Dragon or Striped Legless Lizard habitats are prescribed under any State or Local Government offset prescriptions relevant to the Project Area (TBC). State offsets for the removal of native vegetation in addition to the proposed offset sites for MNES will be secured for the Project. Environmental offsets already paid for under other schemes or programs cannot be used. However, if additional conservation gains on the same piece of land can be achieved these may be eligible for use as offsets provided that there are no perverse outcomes and synergies are produced. Additional activities are to be confirmed once specific offset measure is identified.			



Offset principle	Offset Requirement	Justification for offset site - Golden Sun Moth habitat	Justification for offset site - Southern Greater Glider habitat	Justification for offset site - Victorian Grassland Earless Dragon habitat	Justification for offset site – Striped Legless Lizard habitat
6.1	Links with state and territory approval processes.	Approvals under the <i>Environment Effect</i> the Project.	Approvals under the Environment Effects Act 1978 and Planning and Environment Act 1987 and Flora and Fauna Guarantee Act 1988 (FFG Act) will be secured for the Project.		
7	Suitable offsets must be efficient, effective, timely, transparent, scientifically robust and reasonable.	The legally secured offset site will be actively managed by the landowner with the supervision of a suitably qualified ecologist through audits and monitoring. The proposed ecological benefit / gain will be achieved through proven management actions and monitored throughout the active management period (10 years) to deliver the desired environmental outcomes. The OAMP will allow provision for adaptive management if required in response to offset monitoring results as required.			
8	Suitable offsets must have transparent governance arrangements including being able to be readily measured, monitored, audited and enforced.	Specific governance arrangements are to be confirmed once offsets have been identified. Site condition will be monitored with details to be included in an OMP. Results will inform the need for additional interventions (adaptive management) with performance targets and trigger points included in the OMP.			



5.3 Identifying required State offsets

In Section 4.1.2, 4.3.1 and 4.3.2, core offset calculations were conducted to determine the size of required General Habitat Units and Species Habitat Units. This section provides a summary of progress on available State offsets that need to be secured for the Project The draft OMS abides with state Guidelines. Offsets will be secured as third-party offsets sites, where a landholder with suitable offsets on their property to match those required for the Project, and where they are willing to protect and manage, will trade their offset credits with AusNet. These will be traded through a registered offset broker.

Based on the current assessment and results of the native vegetation removal scenario test (EnSym), as detailed in Section 4.3², the Project requires:

- General offsets (GHU) totalling 2.832 GHU
- Species offsets for 20 species totalling 555.907 SHU
- Offsets for 991 Large Trees.

Offset requirements for all GHU and Large Tree offsets can easily be met by sites registered on the NVCR (refer to Appendix B for statements of availability). Of the 555.887 SHU required, all SHU requirements can be met through a combination of securing credits from registered offset sites and offset sites that have been located and need to be registered. Efforts to identify state offsets as outlined in Section 5.1 have resulted in:

- The identification of six new offset sites assessed by a DEECA accredited offset site assessor to confirm eligibility to progress with the sites for future registrations through preparation of MOUs with each landholder.
- Confirmation that the remaining SHU requirements are available for purchase direct from the NVCR (refer to Appendix B for statements of availability).
- The identification of other offset sites that can provide remaining SHU requirements.
- Site co-location for GSM to meet both State and Commonwealth requirements (Table 5-1).

Table 5-4 provides an overall summary of the proposed State offset availability for the Project, based on a) sites either currently registered and available on the NVCR or b) offset sites that have been identified as being suitable for future registration.

Table 5-5 provides a tabulated summary of the species offsets available at each of the sites.

² remaining SHU refers to the balance of SHU required after the securing of the new offset sites including any co-location with Commonwealth sites to meet direct offsets.



Table 5-4. Summary of offset availability for all State offsets

able 5-4. Summary of offset availability for all State offsets				
Offset stage	Habitat Units provided			
Six new unregistered offset sites have been identified to supply all State offsets. Three other unregistered sites have also been identified to supply Project offsets. Option agreements are being used to secure offsets prior to project approval based on the conservative assessment. Available offset sites are generally in Catchment Management Areas: Glenelg Hopkins Corangamite Melbourne Water Local Government Areas Pyrenees Shire Golden Plains Shire Greater Geelong Moorabool Shire Moyne Shire.	Species Habitat Units at the six sites include: Bacchus Marsh Wattle - 21.541 SHU Ben Major Grevillea - 15.591 SHU Brittle Greenhood - 12.247 SHU Fragrant Saltbush - 26.292 SHU Golden Bush-pea - 4.483 SHU Golden Sun-moth - 28.79 SHU Victorian Grassland Earless Dragon - 23.146 SHU Gum-barked Bundy - 2.789 SHU Heath Spear-grass - 24.11 SHU Matted Flax-lily - 15.955 SHU Melbourne Yellow-gum - 23.397 SHU Shiny Leionema - 15.054 SHU Small Golden-moths - 6.79 SHU Spotted Hyacinth-orchid - 24.821 SHU Yarra Gum - 57.812 SHU Werribee Blue box - 3.494 SHU Victorian Grassland Earless Dragon - 11.20 SHU Heath Spear-grass - 6.70 SHU Werribee Blue Box - 3.494 SHU. Species Habitat Units available at three sites include: Brooker's Gum - 29.596 SHU Matted Flax-lily - 18.481 SHU Wiry Bossiaea - 20.275 SHU Wombat Bush-pea - 14.533 SHU.			
Registered on the Native Vegetation Credit Register (NVCR). Offset credits currently available to be purchased from offset sites registered on the NVCR as of 10 February 2025. Refer to Appendix B for statements of availability of offset credits for GHU and SHU identified. All offset sites that supply General Habitat Units are located in Catchment Management Areas: North central Wimmera Corangamite Melbourne Water Local Government Areas Pyrenees Shire Hepburn Shire Ballarat City Moorabool Shire Melton City Northern Grampians.	 General Habitat Units: 2.832 GHU to be secured in either Corangamite, North Central, Melbourne, Wimmera Catchment Management Authority or Ballarat City, Hepburn Shire, Melton City, Moorabool Shire, Northern Grampians Shire, Pyrenees Shire Councils. Species Habitat Units: Ben Major Grevillea – 1.365 SHU. There are two sites that can supply 3.645 SHU. Brooker's Gum – 7.679 SHU. There is one site that can supply 158.443 SHU Golden Sun-moth - 43.751 SHU. There are eight sites that can supply 61.703 SHU. Goldfields Grevillea – 33.951SHU. There are on the NVCR that can supply 66.44 SHU. Matted Flax-Lily – 23.192 SHU. There are ten sites that can supply 50.819 SHU. Wiry Bossiaea – 20.275 SHU. There are fourteen sites that can supply 249.833 SHU. Wombat Bush-pea – 24.475 SHU. There are five sites that can supply 36.623 SHU. Yarra Gum – 29.08 SHU. There are eleven sites that can supply 55.374 SHU. 			



Offset stage	Habitat Units provided	
	 Large Trees All 991 Large Tree offsets will be secured using a mix of GHU and SHU. The balance of all Large Tree credits not provided from offset site currently in progress will be purchased off market. 	

Table 5-5. An outline of SHU offsets provided at each site

Offset Site Details	Total Species Habitat Units available ³
Offset Site 1 can provide species offsets for a total of seven species	 Brittle Greenhood – 26.228 SHU Fragrant Saltbush - 26.449 SHU Golden Bush-pea – 26.243 SHU Gum-barked Bundy – 26.268 SHU Melbourne Yellow-gum – 26.268 SHU Shiny Leionema – 26.277 SHU Yarra Gum – 26.258 SHU.
Offset Site 2 can provide species offsets for a total of ten species	 Bacchus Marsh Wattle 15.955 SHU Brittle Greenhood – 15.958 SHU Fragrant Saltbush - 15.955 SHU Golden Bush-pea – 12.944 SHU Gum-barked Bundy – 11.966 SHU Heath Spear-grass – 6.665 SHU Matted Flax-lily – 15.955 SHU Melbourne Yellow-gum – 15.955 SHU Shiny Leionema – 15.962 SHU Yarra Gum – 15.955 SHU.
Offset Site 3 can provide species offsets for a total of eight species	 Bacchus Marsh Wattle 10.546 SHU Fragrant Saltbush - 10.746 SHU Golden Sun Moth - 11.790 SHU Victorian Grassland Earless Dragon - 23.146SHU Heath Spear-grass - 10.746 SHU Melbourne Yellow-gum - 15.955 SHU Small Golden Moths - 10.75 SHU.
Offset Site 4 can provide species offsets for a total of three species	 Ben Major Grevillea – 15.591 SHU Golden Sun Moth – 17.004 SHU Yarra Gum – 15.599 SHU.
Offset Site 5 can provide species offsets for one species	Spotted Hyacinth-orchid - 52 SHU.
Offset Site 6 can provide species offsets for three species.	 Victorian Grassland Earless Dragon – 11.411 SHU Heath Spear-grass – 3.004 SHU Werribee Blue-box - 3.494 SHU.
Offset Site 7 can provide species offsets for two species	 Brookers Gum – 102.987 SHU Wiry Bossiaea – 99.266 SHU.

³ Not all SHU available at each offset site is required to meet the offset requirements for the Project



Offset Site Details	Total Species Habitat Units available ³	
Offset Site 8 can provide species offsets for three species	 Brookers Gum – 14.803 SHU Wiry Bossiaea - 16.083 SHU Wombat Bush-pea – 14.533 SHU. 	
Offset Site 9 can provide species offsets for three species	 Matted Flax-lily – 18.481 SHU Melbourne Yellow-gum – 18.121 SHU Small Golden Moths – 14.561 SHU. 	

5.4 Offset security mechanisms

Offset sites will be legally secured to support the ongoing protection of the vegetation offset area. In Victoria, this can be achieved through an agreement under one of the following specified Acts:

- Section 173 of the Planning and Environment Act 1987 An agreement under the Planning and Environment Act 1987 would need to be established with the relevant responsible Authority
- Section 3A of the Victorian Conservation Trust Act 1972 A security agreement under this Act can be arranged through Trust for Nature
- Section 69 of the Conservation, Forests and Lands Act 1987 DEECA is responsible for security agreements under this Act.

Offsets can be first party, for example establishing an offset site on land owned by the proponent, or third party in which the proponent would purchase native vegetation credits from an external party. All state and Commonwealth offsets will be secured under one of the identified mechanisms noted above. The Section 69 agreement can be used to satisfy both state and federal requirements where co-location of offsets is considered. This requires consultation and approval from DEECA and DCCEEW. In some instances, offsets are secured through an agreement under Section 173 of the *Planning and Environment Act 1987* as an interim measure and as part of a permit condition, whilst additional security under either Section 3A of the *Victorian Conservation Trust Act 1972* or Section 69 of the *Conservation, Forests and Lands Act 1987* is in progress.

When more details are known about proposed offset sites, the most appropriate security mechanism can then be determined. Evidence of how the offset have been secured will be provided to the Minister prior to the removal of native vegetation in accordance with all approval conditions for the Project.

5.5 Ongoing steps to secure offsets

Ongoing steps will be undertaken to continue to secure suitable offset sites for the Commonwealth and State offset matters.

For the Commonwealth offsets, once the amount of vegetation clearance is finalised and those areas still remaining to be surveyed have been surveyed, then calculations can be finalised. Once this has been done, reevaluating the quantity of offsets required against respective sites secured to confirm final direct offsets, in accordance with EPBC approval conditions.

The following generally outlines the steps to secure direct offsets for the Project to include:

- Identify any further opportunities to reduce the impacts on native vegetation in areas where impacts overlay with HIMs, including progressing with further surveys where modelled data has been used to inform the assessment and offsets (where access has been constrained) to inform further design refinements and reduce offset requirements, micro-siting infrastructure and access tracks where possible to reduce impacts further at key locations (in progress).
- Continue work with the offset broker and ecologist(s) to review opportunities to generate additional SHU available at existing sites. This includes identifying areas that don't currently meet the condition thresholds to generate SHUs but may be eligible in the future following targeted management actions (in progress).



- Continue work with the offset broker and ecologist(s) to identify potential new sites where or commonwealth
 offsets may be present, or where suitable habitat occurs outside of the HIMs for that may be suitable for an
 offset site (or alternative offset) to generate SHU for those species.
- Identify opportunities for co-location of state-based Species Offsets with Commonwealth offset sites(s) for
 the same species, or co-location where multiple MNES occur on a single site. This includes consideration of
 and demonstration that any proposed management actions are complementary and not to the detriment of
 any co-located values at the offset site (in progress).

5.6 Alternative offsets

AusNet will consider the alternative offsets pathway as a risk management approach. This is to manage any changes that could occur during the EES process (e.g., route refinements), which directly affects the final biodiversity impacts and associated offsets requirements, that are currently under investigation and will need to be secured for the Project. An overview of the process for state and commonwealth alternative offsets is provided.

5.6.1 Commonwealth

The Commonwealth offset policy states 'Direct offsets are an essential component of a suitable offsets package. A minimum of 90 per cent of the offset requirements for any given impact must be met through direct offsets.' Therefore, alternative offsets consideration applies to a maximum of 10 per cent of the offset requirements.

Where a direct offset cannot be secured, any alternative offset must demonstrate an overall benefit to the impacted matter. This may include identifying and funding a research project for the target MNES. All alternative offsets for MNES must be developed in consultation with and approved by DCCEEW.

5.6.2 State

The Victorian Guidelines for the removal, destruction or lopping of native vegetation (Section 11.3), sets out the steps required to identify species offsets prior to considering alternative offset arrangements:

- If a suitable species offset cannot be identified, an applicant may consider further steps to avoid or minimise impacts to reduce offset requirements (note Section 2.1 of this OMS describes all the avoidance and minimisation of impacts conducted)
- Appoint an ecologist to review offset requirements and / or species habitat units available at an offset site (Section 5.3)
- Consider activities or alternative management actions that will generate additional gain for the species at an offset site
- Contact landowners or land managers of sites that may be able to be used to generate species habitat units that meet the offset requirements (Section 5 and Section 5.1.2).

If the above actions do not address the inability to secure a species offset, the applicant can propose an alternative offset for the species habitat. The alternative offset must generate direct habitat.

All alternative offsets for species offsets must be developed in consultation with and approved by DEECA.

AusNet will be following the process outlined in this guideline, should alternative species offsets be required.

5.7 Offset Management Plan steps

Table 5-6 and Table 5-7 outline the steps for AusNet to secure offsets for both Commonwealth and State impacts. These steps will be confirmed in consultation with the relevant Commonwealth and State regulators.



Table 5-6. Indicative steps for the Offset Management Strategy

Steps	Activity	Responsible Party
1	Offset requirements determination and review of offsets availability on the open market via third party offsets.	AusNet / offset broker
	Identification of residual impacts to MNES and calculate offsets required.	AusNet
	Assess potential sites with regard to specified offset requirements and review compliance with DCCEEW policy.	AusNet
	Prepare Offset Strategy for Project in accordance with Scoping Requirements.	AusNet
	Confirm offset requirements based on completion of surveys with DCCEEW.	AusNet / Commonwealth
	Reporting to DCCEEW and seek approval of the offset site(s) or agreed approach.	AusNet / Commonwealth
	Negotiation with landowner of offset site or approved credit provider.	Landowner / AusNet
	Enter into a memorandum of understanding with relevant landowner(s) for offset sites to be secured.	Landowner / AusNet
	Prepare OMP for the offset site(s) or agreed approach.	Landowner / AusNet / Commonwealth
	Preparation and execution of a legal binding agreement.	Landowner / AusNet
	Finalise OMP and formalise with signing of contracts.	Landowner / AusNet / Commonwealth
	Complete procurement of credits once final design has been confirmed.	Landowner / AusNet / Commonwealth
	Secure offset site with covenant on Title and provide evidence to DCCEEW.	AusNet
3 (Following construction completion)	Formal reporting to DCCEEW as per monitoring program and approval conditions.	Commonwealth

Table 5-7. Indicative example State offset timeline

Steps	Activity	Responsible Party
1	Offset requirements determination and review of offsets availability on the open market via third party offsets.	AusNet / offset broker
	Prepare Offset Strategy for Project in accordance with Scoping Requirements and reviewed by DCCEEW and DEECA.	AusNet
2	Reporting to DEECA and seek approval of the offset site(s) or agreed approach.	AusNet / State
	Negotiation with landowner of offset site or approved credit provider.	Landowner / AusNet
_	Enter into a memorandum of understanding with relevant landowner for offset sites.	Landowner / AusNet
	Preparation of a legal binding agreement.	Landowner / AusNet
	Secure offset site with covenant on Title and provide evidence to DEECA.	AusNet
	Registration of offset on the native vegetation offset register.	AusNet
3 (Following construction	Offset reconciliation for final offset requirements will be undertaken by AusNet in consultation with DEECA.	AusNet
completion)	On-selling of any excess offsets.	AusNet



6. Offset implementation

Subject to the Project being approved and approval of the Offset Management Strategy, Offset Management Plans (OMPs) will be prepared according to DCCEEW's Environmental Management Plan Guidelines (2024) and in consultation with the manager of the proposed offset site, relevant stakeholders and approval authorities. The OMP will outline specific, measurable environmental outcomes that detail the nature of the conservation gain to be achieved for each MNES. Each OMP will detail the management actions period and implementation including timeframes, monitoring, reporting and other relevant actions over the active management period (10 years depending on the MNES and details of the offset site).

For any offsets sites where State and Commonwealth offsets are co-located on the one site, OMPs will be prepared in accordance with DCCEEW's Environmental Management Plan Guidelines (2024) and DEECA's Management Standards for Native Vegetation Offset Sites (2023) and will require approval from both DCCEEW and DEECA.



7. Conclusion

For this Project, environmental offsets are expected to be necessary under both Commonwealth legislation (EPBC Act) and State legislation (Planning and Environment Act), overseen by DCCEEW and DEECA.

The following summarises the Project offset requirements based on the worst-case scenario, which includes removal of all vegetation in the proposed easement, reliance on some modelled data rather than actual survey (where access is constrained to complete on-ground surveys), and conservative EPBC offset calculator inputs. As more areas are surveyed, as no go zones are applied to reduce the removal of native vegetation in particular in the easement corridor, and as the design is finalised, calculations will be updated to confirm actual offsets required for the Project. The required offsets are anticipated to be reduced.

State offsets:

- General Habitat Units (2.832) and 44 large trees
- Species Habitat Units totalling approximately 555.907 comprising 20 species with 947 large trees.

Commonwealth offsets:

Based on **field surveys** completed the following offsets are calculated (these are conservative estimates and require consultation with DCCEEW to confirm actual area based on individual offset sites):

- 54.65 ha Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of Southeastern Australia
- 36.99 ha Natural Temperate Grassland of the Victorian Volcanic Plain
- 56.61 ha Golden Sun Moth habitat
- 77.68 Southern Greater Glider habitat (Field surveys did not find presence of species, potential habitat is included as part of the assessment)
- 28.8 ha Victorian Grassland Earless Dragon habitat (potential habitat included)
- 6.3ha Striped Legless Lizard habitat (field surveys did not find presence of species, potential habitat included)

Based on **modelled** data used where access is not currently available to complete surveys, the following offsets have been estimated as a worst-case. It is expected that these estimated areas will be reduced with on ground surveys completed to confirm presence and actual offsets requirements for the Project:

- 79.03 ha Grey Box (Eucalyptus microcarpa) Grassy Woodlands and Derived Native Grasslands of Southeastern Australia
- 7.45 ha Natural Temperate Grassland of the Victorian Volcanic Plain
- 41.38 ha White Box-Yellow Box-Blakely's Red Gum Grassy Woodland
- 65.81 ha Golden Sun Moth habitat

AusNet will secure available offsets through the registration of new sites and through offsets available on the NVCR through a qualified broker to meet all project requirements (State and Commonwealth). AusNet continues to progress the following steps to reduce offset requirements:

- 1. Undertake surveys when further access becomes available in areas currently reliant on modelled data. Noting all land will be surveyed as an EPR requirement (BD1, BD8) if and when the Project is approved
- Reduce native vegetation removal in the easement corridor by identifying areas where vegetation may be impacted when removing high risk vegetation and clearly identifying no go zones in the corridor to protect areas of vegetation that can be avoided. This is required by EPR BD1 to reduce the conservative estimate in the impact assessment.



- 3. Use new survey information to inform design refinements, establish no go zones to further reduce project impacts (BD1, BD8).
- 4. Engagement with both State and Commonwealth agencies to confirm actual offset requirements.
- 5. Secure all required offsets in accordance with State and Commonwealth approval conditions and timeframes.

In conclusion, the strategy provides a summary of the potential residual worst case significant impacts and the corresponding worst case offset requirements for the Project under both Commonwealth and State legislation. It also outlines the proposed strategy for offsetting these worst-case residual impacts. This satisfies the scoping requirements for the Project to submit an OMS and, together with the individual OMPs for the offset sites, will meet the requirements of the EPBC Act Environmental Offsets Policy for submitting an 'Offset Proposal'.

The Project is committed to minimising its impact on native vegetation and enhancing biodiversity through an effective offset strategy. While AusNet is keen to further reduce its impacts to native vegetation to the greatest extent practicable it acknowledges that any residual impacts that cannot be avoided must be offset. By adhering to this strategy, the Project will contribute to the conservation of Victoria's unique biodiversity while supporting the transition to renewable energy.



Appendix A. Proposed offset calculator inputs

The offset values and calculations provided within this section are worst-case scenarios. As more areas are surveyed, figures relating to impacts and potential impacts will be updated. Table A-1 to Table A-7 outline the values used in the draft offset calculations, to provide an early indication of the likely offset amounts anticipated to be required at this stage.

Grey Box Grassy Woodlands and Derived Native Grasslands of South-eastern Australia TEC

Table A-1. Grey Box (*Eucalyptus microcarpa*) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia

Offset assessment guide attribute	Calculator input	Justification
Impact calculator – Total quantum of impact - area	16.61ha	A worst-case impact area has been provided. At this stage 6.79ha has been confirmed as impacted, the remaining 9.82ha identified via desktop is yet to be surveyed.
Impact calculator – Quantum of impact – Quality	5	Patches impacted are of moderate quality (based on VQA scores).
Impact calculator – Total quantum of impact	8.31 adjusted hectares	As per the calculator, using endangered status and 16.61 as impacted area.
Risk-related time horizon (max. 20 years)	20	
Offset calculator – Time horizon - Time until ecological benefit	10 years	As AusNet will be actively applying management actions to improve habitat conditions at the offset site(s), 10 years has been used.
Offset calculator – Future area and quality without offset – Risk of loss without offset	0	Will use the 'Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act' (F Maseyk, M Evans and M Maron, 2017). The TEC is found in all 6 Local Government Areas that the Project crosses. Will need to determine which of these values to use (range from 1.23 to 4.18).
Offset calculator – Future area and quality with offset – Risk of loss with offset	0	As the specific offset mechanism is not currently known, the risk of loss is assumed to be 0%.
Confidence in result – Averted loss of offset	N/A	As the specific offset mechanism is not currently known, not using averted loss in preliminary offset calculations.
Offset calculator – Start Area	133.68ha	Area required for offset to meet quantum of impact.
Offset calculator – Start quality	5	As the specific offset site is not currently known, a start quality same to impact site has been used.
Offset calculator – Future quality without offset (1- 10)	5	As above.
Offset calculator – Future quality with offset (1-10)	6	As the specific offset site is not currently known, a one-point gain relevant to the offset site has been assumed. To achieve this gain, an OMP will be developed in consultation with each Offset Landowner / DEECA / council and approved by DCCEEW with the aim of maintaining and monitoring the offset site to deliver a gain for the MNES over the management period. General management activities to improve site condition may include fencing to keep out grazing livestock, pest management and revegetation works as required and to be determined in the OMP. Regular audits would also be undertaken by the approval holder to monitor the implementation and effectiveness of the activities.



Offset assessment guide attribute	Calculator input	Justification
Confidence in result – Change in quality	70%	As the specific offset site is not currently known, an assumed confidence of 70% has been used in the absence of any site-specific due diligence being undertaken.
Percentage of impact offset	100%	

Natural Temperate Grassland of the Victorian Volcanic Plain TEC

Table A-2. Natural Temperate Grassland of the Victorian Volcanic Plain

Offset assessment guide attribute	Calculator input	Justification
Impact calculator – Total quantum of impact - area	5.37ha	A worst-case impact area has been provided. At this stage 4.47ha has been confirmed as impacted, the remaining 0.9ha identified via desktop is yet to be surveyed.
Impact calculator – Quantum of impact – Quality	3	The quality score is based on the Site Condition, Site Context and Species Stocking Rate components of the TEC, in accordance with DSEWPAC (2012a). The Site Condition component is based on Vegetation Quality Assessment 'Habitat Scores'—as per DSE (2004)—for impacted site-assessed patches. Scores ranged from 0.23 to 0.55 out of a possible 1 (mean = 0.37). Therefore, the Site Condition component can be considered to score 37%. The Site Context component uses the Vegetation Quality Assessment 'Landscape Context' scores for impacted site-assessed patches. Scores ranged from 3 to 10 out of a possible 25 (mean = 5.9). Therefore, the Site Context component can be considered to score 24%. The Species Stocking Rate component uses the Vegetation Quality Assessment 'Understorey' scores for impacted site-assessed patches. Scores ranged from 5 to 15 out of a possible 25 (mean = 8.5). Therefore, the Site Context component can be considered to score 34%. Averaging these three quality components, the 'Impact calculator - quantum of impact – quality' (i.e., the quality of habitat to be impacted) was scored as 32% and rounded to 3 / 10 overall.
Impact calculator – Total quantum of impact	1.61 adjusted hectares	As per the calculator, using critically endangered status and 5.37 as impacted area.
Risk-related time horizon (max. 20 years)	20	
Offset calculator – Time horizon - Time until ecological benefit	10 years	As AusNet will be actively applying management actions to improve habitat conditions at the offset site(s), 10 years has been used.
Offset calculator – Future area and quality without offset – Risk of loss without offset	0	Will use the 'Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act' (F Maseyk, M Evans and M Maron, 2017). The grassland is found in 5 of the 6 Local Government Areas that the Project crosses. Will need to determine which of these values to use (range from 1.23 to 4.18).
Offset calculator – Future area and quality with offset – Risk of loss with offset	0	As the specific offset mechanism is not currently known, the risk of loss is assumed to be 0%.
Confidence in result – Averted loss of offset	N/A	As the specific offset mechanism is not currently known, not using averted loss in preliminary offset calculations.
Offset calculator – Start Area	44.44ha	Area required for offset to meet quantum of impact.



Offset assessment guide attribute	Calculator input	Justification
Offset calculator – Start quality	3	As the specific offset site is not currently known, a start quality same to impact site has been used.
Offset calculator – Future quality without offset (1-10)	3	As above.
Offset calculator – Future quality with offset (1-10)	4	As the specific offset site is not currently known, a one-point gain relevant to the offset site has been assumed. To achieve this gain, an OMP will be developed in consultation with each Offset Landowner / DECCA / council and approved by DCCEEW with the aim of maintaining and monitoring the offset site to deliver a gain for the MNES over the management period. General management activities may include fencing to keep out grazing livestock. Regular audits would also be undertaken by the approval holder to monitor the implementation and effectiveness of the activities.
Confidence in result – Change in quality	70%	As the specific offset site is not currently known, an assumed confidence of 70% has been used in the absence of any site-specific due diligence being undertaken.
Percentage of impact offset	100%	

White Box-Yellow Box-Blakely's Red Gum Grassy Woodland TEC

Table A-3. White Box-Yellow Box-Blakely's Red Gum Grassy Woodland

Offset assessment guide attribute	Calculator input	Justification
Impact calculator – Total quantum of impact - area	5.00ha	An estimated worst-case impact area has been provided. At this stage 5.00ha has been estimated via desktop and general field observations and is yet to be surveyed.
Impact calculator – Quantum of impact – Quality	3	The quality score is based on the Site Condition, Site Context and Species Stocking Rate components of the TEC, in accordance with DSEWPAC (2012a). The Site Condition component is based on modelled Vegetation Quality Assessment 'Habitat Scores'—as per DSE (2004)—for impacted patches. Scores were 0.37 out of a possible 1 (mean = 0.37). Therefore, the Site Condition component can be considered to score 37% (best aligns with 1 out of 3). The Site Context component uses the Vegetation Quality Assessment 'Landscape Context' scores for impacted patches. Scores were 2 out of a possible 25 (mean = 2). Therefore, the Site Context component can be considered to score 8% (aligns with 1 out of 3). The Species Stocking Rate component is based on an estimated Vegetation Quality Assessment 'Understorey' score of 5 out of a possible 25. Therefore, the Site Context component can be considered to score 20% (aligns with 1 out of 3). These three quality components, the 'Impact calculator - quantum of impact – quality'
Impact calculator – Total quantum of impact	1.50 adjusted	(i.e., the quality of habitat to be impacted) was scored as 3/10 overall. As per the calculator, using critically endangered status and 5.00 as impacted area.
Risk-related time horizon (max. 20 years)	20	
Offset calculator – Time horizon - Time until ecological benefit	10 years	As AusNet will be actively applying management actions to improve habitat conditions at the offset site(s), 10 years has been used.



Offset assessment guide attribute	Calculator input	Justification
Offset calculator – Future area and quality without offset – Risk of loss without offset	0	Will use the 'Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act' (F Maseyk, M Evans and M Maron, 2017). The TEC is found in 5 of the 6 Local Government Areas that the Project crosses. Will need to determine which of these values to use (range from 1.23 to 4.18).
Offset calculator – Future area and quality with offset – Risk of loss with offset	0	As the specific offset mechanism is not currently known, the risk of loss is assumed to be 0%.
Confidence in result – Averted loss of offset	N/A	As the specific offset mechanism is not currently known, not using averted loss in preliminary offset calculations.
Offset calculator – Start Area	41.38ha	Area required for offset to meet quantum of impact.
Offset calculator – Start quality	3	As the specific offset site is not currently known, a start quality same to impact site has been used.
Offset calculator – Future quality without offset (1- 10)	3	As above.
Offset calculator – Future quality with offset (1-10)	4	As the specific offset site is not currently known, a one-point gain relevant to the offset site has been assumed. To achieve this gain, an OMP will be developed in consultation with each Offset Landowner / DEECA / council and approved by DCCEEW with the aim of maintaining and monitoring the offset site to deliver a gain for the MNES over the management period. General management activities may include fencing to keep out grazing livestock. Regular audits would also be undertaken by the approval holder to monitor the implementation and effectiveness of the activities.
Confidence in result – Change in quality	70%	As the specific offset site is not currently known, an assumed confidence of 70% has been used in the absence of any site-specific due diligence being undertaken.
Percentage of impact offset	100%	

Golden Sun Moth

Table A-4. Golden Sun Moth habitat

Offset assessment guide attribute	Calculator input	Justification
Impact calculator – Total quantum of impact - area	21.00ha	21ha has been confirmed as impacted.
Impact calculator – Quantum of impact – Quality	4	The site condition was scored as one out of three (1/3) based on consideration of the suitable habitat published for the threatened species (DEWHA, 2009) and other survey data collected within the Golden Sun Moth habitat within the Project Area. The site context was also scored as one out of three (1/3) based on the size of the habitat patches and their connectivity with larger patches of habitat for Golden Sun Moth discussed above. The species stocking rate was scored as two out of four (2/4) based on the fact that during opportunistic surveys, approximately 40 individuals were recorded in areas of unimproved pasture between Elmhurst and Lexton. Taking these quality inputs into account, the 'Impact calculator - quantum of impact - quality' (i.e., the quality of habitat to be impacted) was scored as four out of ten (4/10) overall.
Impact calculator – Total quantum of impact	8.4 adjusted hectares	As per the calculator, using vulnerable status and 21 as impacted area.



Offset assessment guide attribute	Calculator input	Justification
Risk-related time horizon (max. 20 years)	20	
Offset calculator – Time horizon - Time until ecological benefit	10 years	As AusNet will be actively applying management actions to improve habitat conditions at the offset site(s), 10 years has been used.
Offset calculator – Future area and quality without offset – Risk of loss without offset	0	Will use the 'Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act' (F Maseyk, M Evans and M Maron, 2017). The species is found in all 6 Local Government Areas that the Project crosses. Will need to determine which of these values to use (range from 1.23 to 4.18).
Offset calculator – Future area and quality with offset – Risk of loss with offset	0	As the specific offset site is not currently known, the risk of loss is assumed to be 0%.
Confidence in result – Averted loss of offset	N/A	As the specific offset site is not currently known, not using averted loss in preliminary offset calculations.
Offset calculator – Start Area	122.42ha	Area required for offset to meet quantum of impact.
Offset calculator – Start quality	4	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed. Refer above for some justification of quality, but this will be expanded on later.
Offset calculator – Future quality without offset (1-10)	4	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed.
Offset calculator – Future quality with offset (1-10)	5	As the specific offset mechanism is not currently known, a one point gain relevant to the offset site has been assumed. To achieve this, an OMP will be developed in consultation with each Offset Landowner / DELWP / council and approved by DCCEEW with the aim of maintaining and monitoring the offset site to deliver a gain for the MNES over the management period. General management activities include limiting grazing pressure on habitat, restricting shrub and tree growth to prevent shade out of habitat, preventing weed invasion and conducting breeding surveys (flying adults) to confirm population persistence. Regular audits would also be undertaken by the approval holder to monitor the implementation and effectiveness of the activities.
Confidence in result – Change in quality	70%	As the specific offset mechanism is not currently known, an assumed confidence of 70% has been used in the absence of any site-specific due diligence being undertaken.
Percentage of impact offset	100.00%	



Southern Greater Glider

Table A-5. Southern Greater Glider habitat

Offset assessment guide attribute	Calculator input	Justification
Impact calculator – Total quantum of impact - area	12.06ha	12.06ha has been confirmed as impacted.
Impact calculator – Quantum of impact – Quality	4	The site condition was scored as two out of three (2/3) based on consideration of the suitable habitat published for the threatened species (DCCEEW, 2022) and other survey data collected within the Southern Greater Glider habitat within the Project Area. The site context was scored as one out of three (1/3) based on the size of the habitat patches and the degree of fragmentation with larger patches of habitat for Southern Greater Glider discussed above and the nearby domestic occupation. The species stocking rate was scored as one out of four (1/4) based on the fact it was not recorded during targeted survey within the Project Area – it is considered a potential visitor to this habitat. Taking these quality inputs into account, the 'Impact calculator – quantum of impact – quality' (i.e., the quality of habitat to be impacted) was scored as four out of ten (4/10) overall.
Impact calculator – Total quantum of impact	4.82 adjusted hectares	As per the calculator, using endangered status and 12.06 as impacted area.
Risk-related time horizon (max. 20 years)	20	
Offset calculator – Time horizon – Time until ecological benefit	10 years	As AusNet will be actively applying management actions to improve habitat conditions at the offset site(s), 10 years has been used.
Offset calculator – Future area and quality without offset – Risk of loss without offset	0	Will use the 'Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act' (F Maseyk, M Evans and M Maron, 2017). The species is found in 2 of the 6 Local Government Areas that the Project crosses. Will need to determine which of these values to use (1.23 or 3.19).
Offset calculator – Future area and quality with offset – Risk of loss with offset	0	As the specific offset site is not currently known, the risk of loss is assumed to be 0%.
Confidence in result – Averted loss of offset	N/A	As the specific offset site is not currently known, not using averted loss in preliminary offset calculations.
Offset calculator – Start Area	77.68ha	Area required for offset to meet quantum of impact.
Offset calculator – Start quality	4	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed. Refer above for some justification of quality, but this will be expanded on later.
Offset calculator – Future quality without offset (1- 10)	4	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed.
Offset calculator – Future quality with offset (1-10)	65	As the specific offset site is not currently known, a one-point gain relevant to the offset site has been assumed. To achieve this, an OMP will be developed in consultation with each Offset Landowner / DEECA / council and approved by DCCEEW with the aim of maintaining and monitoring the offset site to deliver a gain for the MNES over the management period. General management activities may include forage tree and hollow assessments, restricting fuel reduction burns, feral predator control, population surveys to confirm habitat usage. Regular audits would also be undertaken by the approval holder to monitor the implementation and effectiveness of the activities.



Offset assessment guide attribute	Calculator input	Justification
Confidence in result – Change in quality	70%	As the specific offset site is not currently known, an assumed confidence of 70% has been used in the absence of any site-specific due diligence being undertaken.
Percentage of impact offset	100.00%	

Victorian Grassland Earless Dragon

Table A-6. Victorian Grassland Earless Dragon

Offset assessment guide attribute	Calculator input	Justification
Impact calculator – Total quantum of impact - area	3.48ha	3.48ha has been confirmed as impacted.
Impact calculator – Quantum of impact – Quality	3	The site condition was scored as one out of three (1/3) based on consideration of the suitable habitat published for the threatened species (DCCEEW, 2023) and other survey data collected within the Victorian Grassland Earless Dragon habitat within the Project Area. The site context was also scored as one out of three (1/3) based on the size of the habitat patches and their connectivity with larger patches of habitat for Victorian Grassland Earless Dragon. The species stocking rate was scored as one out of four (1/4) based on the fact it is unlikely the areas of potential habitat in the Project Area support the species. Taking these quality inputs into account, the 'Impact calculator - quantum of impact – quality' (i.e., the quality of habitat to be impacted) was scored as three out of ten (3/10) overall.
Impact calculator – Total quantum of impact	1.04 adjusted hectares	As per the calculator, using critically endangered status and 3.48 as impacted area.
Risk-related time horizon (max. 20 years)	20	
Offset calculator – Time horizon - Time until ecological benefit	10 years	As AusNet will be actively applying management actions to improve habitat conditions at the offset site(s), 10 years has been used.
Offset calculator – Future area and quality without offset – Risk of loss without offset	0	Will use the 'Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act' (F Maseyk, M Evans and M Maron, 2017). The species is found in 1 of the 6 Local Government Areas that the Project crosses. Will need to confirm if the 4.18 value should be used.
Offset calculator – Future area and quality with offset – Risk of loss with offset	0	As the specific offset site is not currently known, the risk of loss is assumed to be 0%.
Confidence in result – Averted loss of offset	N/A	As the specific offset site is not currently known, not using averted loss in preliminary offset calculations.
Offset calculator – Start Area	28.80ha	Area required for offset to meet quantum of impact.
Offset calculator – Start quality	3	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed.
Offset calculator – Future quality without offset (1-10)	3	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed.
Offset calculator – Future quality with offset (1-10)	4	As the specific offset site is not currently known, a one-point gain relevant to the offset site has been assumed. To achieve this, an OMP will be developed in consultation with



Offset assessment guide attribute	Calculator input	Justification
		each Offset Landowner / DEECA / council and approved by DCCEEW with the aim of maintaining and monitoring the offset site to deliver a gain for the MNES over the management period. General management activities to improve site condition may include fencing, weed and pest animal control, restriction of inappropriate fire regimes and agricultural chemical application, invertebrate prey source assessments, vegetation condition and MNES monitoring. Regular audits would also be undertaken by the approval holder to monitor the implementation and effectiveness of the activities.
Confidence in result – Change in quality	70%	As the specific offset site is not currently known, an assumed confidence of 70% has been used in the absence of any site-specific due diligence being undertaken.
Percentage of impact offset	100%	

Striped Legless Lizard

Table A-7. Striped Legless Lizard

Offset assessment guide attribute	Calculator input	Justification
Impact calculator – Total quantum of impact - area	1.44ha	1.44ha has been confirmed as impacted.
Impact calculator –Quantum of impact – Quality	3	The site condition was scored as one out of three (1/3) based on consideration of the suitable habitat published for the threatened species (DSEWPaC 2011) and other survey data collected within the Striped Legless Lizard habitat within the Project Area. The site context was also scored as one out of three (1/3) based on the size of the habitat patches and their connectivity with larger patches of habitat for Striped Legless Lizard. The species stocking rate was scored as one out of four (1/4) based on the fact it was not recorded during targeted survey and is unlikely to utilise the areas of potential habitat in the Project Area. Taking these quality inputs into account, the 'Impact calculator - quantum of impact – quality' (i.e., the quality of habitat to be impacted) was scored as three out of ten (3/10) overall.
Impact calculator – Total quantum of impact	0.43 adjusted ha	As per the calculator.
Risk-related time horizon (max. 20 years)	20	
Offset calculator – Time horizon – Time until ecological benefit	10 years	As AusNet will be actively applying management actions to improve habitat conditions at the offset site(s), 10 years has been used.
Offset calculator – Future area and quality without offset – Risk of loss without offset	0	Will use the 'Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act' (F Maseyk, M Evans and M Maron, 2017). The species if found in 4 of the 6 Local Government Areas that the Project crosses. Will need to determine which of these values to use (range from 1.23 to 4.18).
Offset calculator – Future area and quality with offset – Risk of loss with offset	0	As the specific offset site is not currently known, the risk of loss is assumed to be 0%.
Confidence in result – Averted loss of offset	N/A	As the specific offset site is not currently known, not using averted loss in preliminary offset calculations.
Offset calculator – Start Area	6.30ha	Area required for offset to meet quantum of impact.
Offset calculator – Start quality	3	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed.



Offset assessment guide attribute	Calculator input	Justification
Offset calculator – Future quality without offset (1-10)	3	As the specific offset site is not currently known, a start quality at the level of the impacted area has been assumed.
Offset calculator – Future quality with offset (1-10)	4	As the specific offset site is not currently known, a one-point gain relevant to the offset site has been assumed. To achieve this, an OMP will be developed in consultation with each Offset Landowner / DEECA / council and approved by DCCEEW with the aim of maintaining and monitoring the offset site to deliver a gain for the MNES over the management period. General management activities to improve site condition may include fencing, weed and pest animal control, restriction of inappropriate fire regimes and agricultural chemical application, invertebrate prey source assessments, vegetation condition and MNES monitoring. Regular audits would also be undertaken by the approval holder to monitor the implementation and effectiveness of the activities.
Confidence in result – Change in quality	70%	As the specific offset site is not currently known, an assumed confidence of 70% has been used in the absence of any site-specific due diligence being undertaken.
Percentage of impact offset	100%	



Appendix B. Statement of offset availability



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 03:28 Report ID: 28276

What was searched for?

General offset

General habitat units	Strategic biodiversity value	Large trees	Vicinity (Catchment Management Authority or Municipal district)
2.832	0.277	991	CMA	Corangamite
			or CMA	North Central
			or CMA	Melbourne Water
			or CMA	Wimmera
			or LGA	Ballarat City
			or LGA	Hepburn Shire
			or LGA	Melton City
			or LGA	Moorabool Shire
			or LGA	Northern Grampians Shire
			or LGA	Pyrenees Shire

Details of available native vegetation credits on 10 February 2025 03:28

These sites meet your requirements for general offsets.

GHU	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
5.436	1411	Melbourne Water	Whittlesea City	No	Yes	No	Abezco, VegLink
40.464	2554	Melbourne Water	Nillumbik Shire	No	Yes	No	Abezco, VegLink
13.917	1623	Melbourne Water	Yarra Ranges Shire	Yes	Yes	No	VegLink
43.378	1097	Wimmera	West Wimmera Shire	Yes	Yes	No	Abezco, Bio Offsets, Ethos
45.440	1640	Wimmera	West Wimmera Shire	Yes	Yes	No	VegLink
	5.436 40.464 13.917 43.378	5.436 1411 40.464 2554 13.917 1623 43.378 1097	5.436 1411 Melbourne Water 40.464 2554 Melbourne Water 13.917 1623 Melbourne Water 43.378 1097 Wimmera	5.436 1411 Melbourne Water Whittlesea City 40.464 2554 Melbourne Water Nillumbik Shire 13.917 1623 Melbourne Water Yarra Ranges Shire 43.378 1097 Wimmera West Wimmera Shire	5.436 1411 Melbourne Water Whittlesea City No 40.464 2554 Melbourne Water Nillumbik Shire No 13.917 1623 Melbourne Water Yarra Ranges Shire Yes 43.378 1097 Wimmera West Wimmera Shire Yes	5.436 1411 Melbourne Water Whittlesea City No Yes 40.464 2554 Melbourne Water Nillumbik Shire No Yes 13.917 1623 Melbourne Water Yarra Ranges Shire Yes Yes 43.378 1097 Wimmera West Wimmera Shire Yes Yes	5.4361411Melbourne WaterWhittlesea CityNoYesNo40.4642554Melbourne WaterNillumbik ShireNoYesNo13.9171623Melbourne WaterYarra Ranges ShireYesYesNo43.3781097WimmeraWest Wimmera ShireYesYesNo

	20.115	4760	Corangamite	Colac Otway Shire	Yes	Yes	No	VegLink
3812_01								

These sites meet your requirements using alternative arrangements for general offsets.

Credit Site ID	GHU	Ľ	г сма	LGA	Land	Trader	Fixed	Broker(s)
					owner		price	

There are no sites listed in the Native Vegetation Credit Register that meet your offset requirements when applying the alternative arrangements as listed in section 11.2 of the Guidelines for the removal, destruction or lopping of native vegetation.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

Credit Site ID	GHU	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3792_01	14.025	1235	Melbourne Water	Macedon Ranges Shire	Yes	Yes	No	VegLink

LT - Large Trees CMA - Catchment Management Authority LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website		
	Fully traded					
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au		
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au		
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au		
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/nativ e-vegetation		
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable		
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au		
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au		
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au		
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au		
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au		

© The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 06:09 Report ID: 28296

What was searched for?

Species offset

Common Name (Scientific name)	Species habitat units
Yarra Gum (Eucalyptus yarraensis)	1
with number of large trees	0

Details of available native vegetation credits on 10 February 2025 06:09

These sites meet all your requirements for species offsets.

		-	•				
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-0115	0	West Gippsland	East Gippsland Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Yarra G	Gum	Eucalyptus yarraensis		2.665		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-0277	412	Melbourne Water	Mornington Peninsula Shire	e No	Yes	No	Abezco, Ethos, VegLink
	Specie	s common name	Species scientific name		SHU		
	Yarra Gum		Eucalyptus yarraensis		1.177		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-0677	1109	Melbourne Water	Whittlesea City	No	Yes	No	Abezco, VegLink
	Specie	s common name	Species scientific name		SHU		
	Yarra G	um	Eucalyptus yarraensis		5.109		

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-2849	0	West Gippsland	Wellington Shire	Yes	Yes	No	Abezco, VegLink
	Specie	s common name	Species scientific name		SHU		
	Yarra G	um	Eucalyptus yarraensis		2.425		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-3027	232	Glenelg Hopkins	Pyrenees Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Yarra G	Sum	Eucalyptus yarraensis		1.327		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3080_01	94	Corangamite	Golden Plains Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Yarra G	um	Eucalyptus yarraensis		5.054		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3682_01	0	Melbourne Water	Nillumbik Shire	Yes	Yes	No	Abezco
	Species common name		Species scientific name		SHU		
	Yarra G	um	Eucalyptus yarraensis		1.813		
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3693_01	257	Glenelg Hopkins	Ararat Rural City	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Yarra G	um	Eucalyptus yarraensis		1.124		
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3814_01	526	Glenelg Hopkins	Southern Grampians Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Yarra G	um	Eucalyptus yarraensis		13.339		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_TFN- 09554_01	383	North Central	Macedon Ranges Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Yarra G	Bum	Eucalyptus yarraensis		13.998		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_TFN- C2046_01	1446	Glenelg Hopkins	Southern Grampians Shire	Yes	Yes	No	Ecocentric, Ethos, VegLink
	Specie	s common name	Species scientific name		SHU		
	Yarra G	Sum	Eucalyptus yarraensis		7.343		
						-	

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

Credit Site ID LT CMA LGA		ixed Broker(s) rice
---------------------------	--	------------------------

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

Credit Site ID LT CMA LGA Land Trader Fixed Broker(s) owner price

There are no potential sites listed in the Native Vegetation Credit Register that meet your offset requirements.

LT - Large Trees

CMA - Catchment Management Authority

LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website
	Fully traded			
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/nativ e-vegetation
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au

 $\ensuremath{@}$ The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 03:49 Report ID: 28292

What was searched for?

Species offset

Common Name (Scientific name)		Species habitat units
Goldfields Grevillea (Grevillea dryophylla)		1
with number of large trees	0	

Details of available native vegetation credits on 10 February 2025 03:49

These sites meet all your requirements for species offsets.

		,	rements for species o				
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-0741	0	North Central	Pyrenees Shire	Yes	Yes	No	Bio Offsets, VegLink
	Specie	s common name	Species scientific name		SHU		
	Goldfie	lds Grevillea	Grevillea dryophylla		1.849		
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-3002	0	Wimmera	Northern Grampians Shire	Yes	Yes	No	Bio Offsets, VegLin
	Specie	s common name	Species scientific name		SHU		
	Goldfie	lds Grevillea	Grevillea dryophylla		4.835		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-3031	86	North Central	Pyrenees Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Goldfie	lds Grevillea	Grevillea dryophylla		2.791		

Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
TFN-C1970	0	North Central	Greater Bendigo City	No	Yes	No	Contact NVOR
	Species	s common name	Species scientific name		SHU		
	Goldfiel	ds Grevillea	Grevillea dryophylla		5.058		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
TFN-C2031	177	Wimmera	Northern Grampians Shire	Yes	Yes	No	Ecocentric, VegLink
	Species	s common name	Species scientific name		SHU		
	Goldfiel	ds Grevillea	Grevillea dryophylla		18.493		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3076_01	46	North Central	Pyrenees Shire	Yes	Yes	No	Bio Offsets
	Species	s common name	Species scientific name		SHU		
	Goldfiel	ds Grevillea	Grevillea dryophylla		8.761		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3785_01	0	North Central	Mount Alexander Shire	Yes	Yes	No	VegLink
	Species	s common name	Species scientific name		SHU		
	Goldfiel	ds Grevillea	Grevillea dryophylla		2.037		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3815_01	79	North Central	Central Goldfields Shire	Yes	Yes	No	VegLink
	Species	s common name	Species scientific name		SHU		
	Goldfiel	ds Grevillea	Grevillea dryophylla		8.909		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CLO- 2451_01	13	North Central	Greater Bendigo City	No	Yes	No	Ethos
2451_01							
2451_01	Species	s common name	Species scientific name		SHU		

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

Credit Site ID	LT CMA	LGA	Land Trader owner	Fixed Broker(s) price
----------------	--------	-----	----------------------	-----------------------

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
18	Goulburn Broken, North Central	Greater Bendigo City	Yes	Yes	No	Bio Offsets
Species	s common name	Species scientific name		SHU		
Goldfiel	ds Grevillea	Grevillea dryophylla		11.767		
	Specie	18 Goulburn Broken, North	18 Goulburn Broken, North Central Greater Bendigo City Species common name Species scientific name	owner 18 Goulburn Broken, North Central Greater Bendigo City Yes Species common name Species scientific name	18 Goulburn Broken, North Central Greater Bendigo City Yes Yes Species common name Species scientific name SHU	owner price 18 Goulburn Broken, North Central Greater Bendigo City Yes Yes No Species scientific name SHU

LT - Large Trees CMA - Catchment Management Authority

LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website
	Fully traded			
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/native-vegetation
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au

© The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaime

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 06:05 Report ID: 28295

What was searched for?

Species offset

Common Name (Scientific name)		Species habitat units
Wombat Bush-pea (Pultenaea reflexifolia)		1
with number of large trees	0	

Details of available native vegetation credits on 10 February 2025 06:05

These sites meet all your requirements for species offsets.

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3744_01	349	Melbourne Water	Macedon Ranges Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Womba	t Bush-pea	Pultenaea reflexifolia		1.272		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3773_01	547	North Central	Macedon Ranges Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Womba	t Bush-pea	Pultenaea reflexifolia		1.364	-	
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_TFN- 09554_01	383	North Central	Macedon Ranges Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Womba	t Bush-pea	Pultenaea reflexifolia		13.998		
						-	

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
				OWITE		price	

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

	-						
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s
C_CFL- 746_01	563	Melbourne Water	Macedon Ranges Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Womba	t Bush-pea	Pultenaea reflexifolia		5.456		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s
VC_CFL- 3792_01	1189	Melbourne Water	Macedon Ranges Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Womba	t Bush-pea	Pultenaea reflexifolia		14.533		

LT - Large Trees

CMA - Catchment Management Authority

LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website
	Fully traded			
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/nativ e-vegetation
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au

© The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 06:44 Report ID: 28298

What was searched for?

Species offset

Common Name (Scientific name)	Species habitat units
Ben Major Grevillea (Grevillea floripendula)	1
with number of large trees	0

Details of available native vegetation credits on 10 February 2025 06:44

These sites meet all your requirements for species offsets.

Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-3027	126	Glenelg Hopkins	Pyrenees Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Ben Ma	ijor Grevillea	Grevillea floripendula		1.272	_	
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-3031	15	North Central	Pyrenees Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Ben Ma	ijor Grevillea	Grevillea floripendula		2.373	_	
						-	

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
						P	

There are no potential sites listed in the Native Vegetation Credit Register that meet your offset requirements.

LT - Large Trees

CMA - Catchment Management Authority

LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website
	Fully traded			
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/nativ e-vegetation
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au

 $\ensuremath{@}$ The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 03:33 Report ID: 28277

What was searched for?

Species offset

Common Name (Scientific name)	Species habitat units
Brooker's Gum (Eucalyptus brookeriana)	29.596
with number of large trees	0

Details of available native vegetation credits on 10 February 2025 03:33

These sites meet all your requirements for species offsets.

Credit Site ID	LT	CMA	LGA	Land own		Fixed price	Broker(s)
BBA-2252	0	Corangamite	Colac Otway	/ Shire No	Yes	No	Bio Offsets
	Specie	s common name	Species sci	entific name	SHU	J	
	Brooke	r's Gum	Eucalyptus I	orookeriana	158.44	3	

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

Credit Site ID	LT CMA	LGA	Land Trad	er Fixed price	Broker(s)	
----------------	--------	-----	-----------	----------------	-----------	--

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

Credit Site ID L	T CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
------------------	-------	-----	---------------	--------	-------------	-----------

There are no potential sites listed in the Native Vegetation Credit Register that meet your offset requirements.

LT - Large Trees CMA - Catchment Management Authority LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website
	Fully traded			
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/nativ e-vegetation
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au

© The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 05:57 Report ID: 28294

What was searched for?

Species offset

Common Name (Scientific name)	Species habitat units
Matted Flax-lily (Dianella amoena)	1
with number of large trees	0

Details of available native vegetation credits on 10 February 2025 05:57

These sites meet all your requirements for species offsets.

THESE SILE	J IIIC	ct an your requi	cilicitis for species of	15015.			
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-0115	0	West Gippsland	East Gippsland Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Matted	Flax-lily	Dianella amoena		2.659		
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-0138	419	West Gippsland	Wellington Shire	Yes	Yes	No	Ecocentric
	Specie	s common name	Species scientific name		SHU		
	Matted	Flax-lily	Dianella amoena		11.590		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-0677	1109	Melbourne Water	Whittlesea City	No	Yes	No	Abezco, VegLink
	Specie	s common name	Species scientific name		SHU		
	Matted	Flax-lily	Dianella amoena		5.080		

LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
86	East Gippsland	East Gippsland Shire	Yes	Yes	No	Bio Offsets, Ethos, VegLink
Species	s common name	Species scientific name	9	SHU		
Matted I	Flax-lily	Dianella amoena		5.410		
LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
0	West Gippsland	Wellington Shire	Yes	Yes	No	Abezco, VegLink
Species	s common name	Species scientific name	е	SHU		
Matted I	Flax-lily	Dianella amoena		2.425		
LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
94	Corangamite	Golden Plains Shire	Yes	Yes	No	Bio Offsets
Species	s common name	Species scientific name	9	SHU		
Matted I	Flax-lily	Dianella amoena		5.054		
LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
0	Melbourne Water	Nillumbik Shire	Yes	Yes	No	Abezco
Species	s common name	Species scientific name	е	SHU		
Matted I	Flax-lily	Dianella amoena		1.814		
	Flax-lily CMA	Dianella amoena	Land owner	1.814 Trader	Fixed price	Broker(s)
	CMA					Broker(s) VegLink
LT 24	CMA	LGA	owner Yes	Trader	price	
LT 24	CMA Glenelg Hopkins s common name	LGA Ararat Rural City	owner Yes	Trader Yes	price	
LT 24	Glenelg Hopkins s common name Flax-lily	LGA Ararat Rural City Species scientific name	owner Yes	Trader Yes SHU	price	.,
LT 24 Species Matted	Glenelg Hopkins s common name Flax-lily	LGA Ararat Rural City Species scientific name Dianella amoena	owner Yes Land	Trader Yes SHU 1.584	No Fixed	VegLink
LT 24 Species Matted I LT 0	CMA Glenelg Hopkins s common name Flax-lily CMA	LGA Ararat Rural City Species scientific name Dianella amoena LGA	owner Yes Land owner Yes	Trader Yes SHU 1.584 Trader	No Fixed price	VegLink Broker(s)
LT 24 Species Matted I LT 0	CMA Glenelg Hopkins s common name Flax-lily CMA North Central	LGA Ararat Rural City Species scientific name Dianella amoena LGA Mount Alexander Shire	owner Yes Land owner Yes	Trader Yes SHU 1.584 Trader Yes	No Fixed price	VegLink Broker(s)
LT 24 Species Matted LT 0 Species Matted Matted	CMA Glenelg Hopkins s common name Flax-lily CMA North Central	LGA Ararat Rural City Species scientific name Dianella amoena LGA Mount Alexander Shire Species scientific name	owner Yes Land owner Yes	Trader Yes SHU 1.584 Trader Yes SHU	No Fixed price	VegLink Broker(s)
LT 24 Species Matted LT 0 Species Matted Matted	Glenelg Hopkins s common name Flax-lily CMA North Central s common name Flax-lily CMA	LGA Ararat Rural City Species scientific name Dianella amoena LGA Mount Alexander Shire Species scientific name Dianella amoena	owner Yes Land owner Yes Land	Trader Yes SHU 1.584 Trader Yes SHU 2.037	No Fixed price No	VegLink Broker(s) VegLink
LT 24 Species Matted I LT 0 Species Matted I LT 743	CMA Glenelg Hopkins s common name Flax-lily CMA North Central s common name Flax-lily CMA	LGA Ararat Rural City Species scientific name Dianella amoena LGA Mount Alexander Shire Species scientific name Dianella amoena LGA	owner Yes Land owner Yes Land owner Yes	Trader Yes SHU 1.584 Trader Yes SHU 2.037 Trader	No Fixed price No Fixed price	VegLink Broker(s) VegLink Broker(s) Bio Offsets,
	86 Species Matted LT 0 Species Matted LT 94 Species Matted LT 0	Species common name Matted Flax-lily LT CMA 0 West Gippsland Species common name Matted Flax-lily LT CMA 94 Corangamite Species common name Matted Flax-lily LT CMA	Species common name Matted Flax-lily Dianella amoena LT CMA Usest Gippsland Wellington Shire Species common name Matted Flax-lily Dianella amoena LT CMA Dianella amoena Matted Flax-lily Dianella amoena LT CMA LGA 94 Corangamite Species common name Matted Flax-lily Dianella amoena LT CMA LGA 94 Corangamite Species common name Matted Flax-lily Dianella amoena LT CMA LGA Nillumbik Shire	Species common name Matted Flax-lily LT CMA LGA Species common name Wellington Shire Yes Species common name Matted Flax-lily Dianella amoena Land owner Wellington Shire Yes Species common name Matted Flax-lily Dianella amoena LT CMA LGA Land owner Matted Flax-lily Dianella amoena LT CMA LGA Land owner 94 Corangamite Golden Plains Shire Yes Species common name Matted Flax-lily Dianella amoena LT CMA LGA Land owner Matted Flax-lily Dianella amoena LT CMA LGA Land owner Matted Flax-lily Dianella amoena LT CMA LGA Ves	Species common name Species scientific name SHU Matted Flax-lily Dianella amoena 5.410 LT CMA LGA Land owner Trader 0 West Gippsland Wellington Shire Yes Yes Species common name Species scientific name SHU Matted Flax-lily Dianella amoena 2.425 LT CMA LGA Land owner SHU Matted Flax-lily Dianella amoena 2.425 LT CMA LGA Land owner SHU Species common name Species scientific name SHU Matted Flax-lily Dianella amoena 5.054 LGA Land owner SHU Matted Flax-lily Dianella amoena 5.054 LT CMA LGA Land owner Trader owner SHU Matted Flax-lily Dianella amoena 5.054 LT CMA LGA Land owner SHU Matted Flax-lily Dianella amoena 5.054 LT CMA LGA Land owner Trader owner SHU Matted Flax-lily Dianella amoena 5.054	Species common name Species scientific name SHU

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
				OWITEI		price	

There are no potential sites listed in the Native Vegetation Credit Register that meet your offset requirements.

LT - Large Trees

CMA - Catchment Management Authority

LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website
	Fully traded			
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/nativ e-vegetation
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au

© The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaime

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 06:18 Report ID: 28297

What was searched for?

Species offset

Common Name (Scientific name)	Species habitat units
Wiry Bossiaea (Bossiaea cordigera)	1
with number of large trees	0

Details of available native vegetation credits on 10 February 2025 06:18

These sites meet all your requirements for species offsets.

LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
42	Melbourne Water	Cardinia Shire	No	Yes	No	Abezco, VegLink
Specie	s common name	Species scientific name		SHU		
Wiry Bo	ossiaea	Bossiaea cordigera		12.323		
LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
0	Corangamite	Colac Otway Shire	No	Yes	No	Bio Offsets
Specie	s common name	Species scientific name		SHU		
Wiry Bo	ossiaea	Bossiaea cordigera		152.113		
LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
0	Corangamite	Colac Otway Shire	No	Yes	No	Bio Offsets
Specie	s common name	Species scientific name		SHU		
	42 Species Wiry Bo Species Wiry Bo LT 0	Species common name Wiry Bossiaea LT CMA 0 Corangamite Species common name Wiry Bossiaea LT CMA	42 Melbourne Water Cardinia Shire Species common name Species scientific name Wiry Bossiaea Bossiaea cordigera LT CMA LGA 0 Corangamite Colac Otway Shire Species common name Species scientific name Wiry Bossiaea Bossiaea cordigera LT CMA LGA 0 Corangamite Colac Otway Shire	A2 Melbourne Water Cardinia Shire No Species common name Species scientific name Wiry Bossiaea Bossiaea cordigera LT CMA LGA Land owner 0 Corangamite Colac Otway Shire No Species common name Species scientific name Wiry Bossiaea Bossiaea cordigera LT CMA LGA Land owner 0 Corangamite Colac Otway Shire No Species scientific name Colac Otway Shire No Corangamite Colac Otway Shire No	A2 Melbourne Water Cardinia Shire No Yes Species common name Species scientific name SHU Wiry Bossiaea Bossiaea cordigera 12.323 LT CMA LGA Land owner O Corangamite Colac Otway Shire No Yes Species common name Species scientific name SHU Wiry Bossiaea Bossiaea cordigera 152.113 LT CMA LGA Land owner O Corangamite Colac Otway Shire No Yes	42 Melbourne Water Cardinia Shire No Yes No Species common name Species scientific name SHU Wiry Bossiaea Bossiaea cordigera 12.323 LT CMA LGA Land owner Fixed price 0 Corangamite Colac Otway Shire No Yes No Species common name Species scientific name SHU Wiry Bossiaea Bossiaea cordigera 152.113 LT CMA LGA Land owner Fixed price 0 Corangamite Colac Otway Shire No Yes No Species common name Species scientific name SHU Wiry Bossiaea Bossiaea cordigera 152.113

Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3699_01	30	Corangamite	Colac Otway Shire	Yes	Yes	No	Contact NVOR
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	ssiaea	Bossiaea cordigera		1.443		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3718_01	900	Corangamite	Corangamite Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	ssiaea	Bossiaea cordigera		7.963		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3739_01	264	Corangamite	Colac Otway Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	ssiaea	Bossiaea cordigera		4.699		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3744_01	349	Melbourne Water	Macedon Ranges Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	essiaea	Bossiaea cordigera		1.293		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3763_01	266	Glenelg Hopkins	Glenelg Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	ssiaea	Bossiaea cordigera		3.327		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3787_01	895	Corangamite	Colac Otway Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	ossiaea	Bossiaea cordigera		9.102		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3812_01	0	Corangamite	Colac Otway Shire	Yes	Yes	Yes	VegLink
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	ssiaea	Bossiaea cordigera		1.001		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
		Corangamite	Colac Otway Shire	Yes	Yes	No	VegLink
	4760	Oorangamic					
		s common name	Species scientific name		SHU		
		s common name	Species scientific name Bossiaea cordigera		SHU 20.492		
VC_CFL- 3812_01 Credit Site ID	Species Wiry Bo	s common name	•	Land owner		Fixed price	Broker(s)

Species common name	Species scientific name	SHU
Wiry Bossiaea	Bossiaea cordigera	13.998

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

	and Trader	Fixed Broker(s)
--	------------	-----------------

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3746_01	384	Melbourne Water	Macedon Ranges Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Wiry Bo	ossiaea	Bossiaea cordigera		4.214		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3792_01	1235	Melbourne Water	Macedon Ranges Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Wiry Bossiaea		Bossiaea cordigera		15.591	-	

LT - Large Trees

CMA - Catchment Management Authority

LGA - Municipal District or Local Government Authority



This report is **not evidence** that an offset has been secured. An offset is only secured when the units have been purchased and allocated to a permit or other approval and an allocated credit extract is provided by the Native Vegetation Credit Register.

Date and time: 10/02/2025 03:39 Report ID: 28285

What was searched for?

Species offset

Common Name (Scientific name)	Species habitat units
Golden Sun Moth (Synemon plana)	1
with number of large trees	0

Details of available native vegetation credits on 10 February 2025 03:39

These sites meet all your requirements for species offsets.

Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-3002	0	Wimmera	Northern Grampians Shire	Yes	Yes	No	Bio Offsets, VegLin
	Specie	s common name	Species scientific name		SHU		
	Golden	Sun Moth	Synemon plana		5.177		
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
BBA-3027	232	Glenelg Hopkins	Pyrenees Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Golden	Sun Moth	Synemon plana		1.445		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
TFN-C2031	177	Wimmera	Northern Grampians Shire	Yes	Yes	No	Ecocentric, VegLin
	Specie	s common name	Species scientific name		SHU		
	0-11	Sun Moth	Synemon plana		20.189		

Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3076_01	46	North Central	Pyrenees Shire	Yes	Yes	No	Bio Offsets
	Specie	s common name	Species scientific name		SHU		
	Golden	Sun Moth	Synemon plana		9.810		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3693_01	579	Glenelg Hopkins	Ararat Rural City	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Golden	Sun Moth	Synemon plana		1.236		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3697_01	0	Corangamite	Golden Plains Shire	Yes	Yes	No	Bio Offsets
	Species common name		Species scientific name	Species scientific name SHU			
	Golden	Sun Moth	Synemon plana		19.796		
Credit Site ID	LT	CMA	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3727_01	24	Glenelg Hopkins	Ararat Rural City	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
	Golden	Sun Moth	Synemon plana		1.833		
Credit Site ID	LT	СМА	LGA	Land owner	Trader	Fixed price	Broker(s)
VC_CFL- 3785_01	0	North Central	Mount Alexander Shire	Yes	Yes	No	VegLink
	Specie	s common name	Species scientific name		SHU		
		Sun Moth	Synemon plana		2.217		

These sites meet some of your requirements for species offsets, you may be able to meet all your requirements across multiple sites.

Credit Site ID	LT	CMA	LGA	Land	Trader	Fixed	Broker(s)
Orean One ID			LOA	Luliu	Huuci	IIACU	Diokei(3)
				owner		price	
				OWITCI		price	

There are no sites listed in the Native Vegetation Credit Register that meet some of your offset requirements.

These potential sites are not yet available, land owners may finalise them once a buyer is confirmed.

Credit Site ID	LT CMA	LGA	Land Trader owner	Fixed price	Broker(s)
----------------	--------	-----	-------------------	-------------	-----------

There are no potential sites listed in the Native Vegetation Credit Register that meet your offset requirements.

LT - Large Trees CMA - Catchment Management Authority LGA - Municipal District or Local Government Authority

Next steps

If applying for approval to remove native vegetation

Attach this report to an application to remove native vegetation as evidence that your offset requirement is currently available.

If you have approval to remove native vegetation

Below are the contact details for all brokers. Contact the broker(s) listed for the credit site(s) that meet your offset requirements. These are shown in the above tables. If more than one broker or site is listed, you should get more than one quote before deciding which offset to secure.

Broker contact details

Broker Abbreviation	Broker Name	Phone	Email	Website
	Fully traded			
Abezco	Abzeco Pty. Ltd.	(03) 9431 5444	offsets@abzeco.com.au	www.abzeco.com.au
Baw Baw SC	Baw Baw Shire Council	(03) 5624 2411	bawbaw@bawbawshire.vic.gov.au	www.bawbawshire.vic.gov.au
Bio Offsets	Biodiversity Offsets Victoria	0452 161 013	info@offsetsvictoria.com.au	www.offsetsvictoria.com.au
Contact NVOR	Native Vegetation Offset Register	136 186	nativevegetation.offsetregister@d eeca.vic.gov.au	www.environment.vic.gov.au/nativ e-vegetation
Ecocentric	Ecocentric Environmental Consulting	0410 564 139	ecocentric@me.com	Not avaliable
Ethos	Ethos NRM Pty Ltd	(03) 5153 0037	offsets@ethosnrm.com.au	www.ethosnrm.com.au
Nillumbik SC	Nillumbik Shire Council	(03) 9433 3316	offsets@nillumbik.vic.gov.au	www.nillumbik.vic.gov.au
TFN	Trust for Nature	8631 5888	offsets@tfn.org.au	www.trustfornature.org.au
VegLink	Vegetation Link Pty Ltd	(03) 8578 4250 or 1300 834 546	offsets@vegetationlink.com.au	www.vegetationlink.com.au
Yarra Ranges SC	Yarra Ranges Shire Council	1300 368 333	biodiversityoffsets@yarraranges.vi c.gov.au	www.yarraranges.vic.gov.au

© The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you

credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/

For more information contact the DEECA Customer Service Centre 136 186 or the Native Vegetation Credit Register at nativevegetation.offsetregister@delwp.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Obtaining this publication does not guarantee that the credits shown will be available in the Native Vegetation Credit Register either now or at a later time when a purchase of native vegetation credits is planned.

Notwithstanding anything else contained in this publication, you must ensure that you comply with all relevant laws, legislation, awards or orders and that you obtain and comply with all permits, approvals and the like that affect, are applicable or are necessary to undertake any action to remove, lop or destroy or otherwise deal with any native vegetation or that apply to matters within the scope of Clauses 52.16 or 52.17 of the Victoria Planning Provisions and Victorian planning schemes



References

DCCEEW (2022). Conservation advice for *Petauroides volans* (greater glider (southern and central)), Canberra. Department of Climate Change, Energy, the Environment and Water, Government of Australia.

DCCEEW (2023) Draft National Recovery Plan for Four Grassland Earless Dragons (*Tympanocryptis* spp.) of Southeast Australia. Department of Climate Change, Energy, the Environment and Water, Government of Australia

DCCEEW (2024), Environmental Management Plan Guidelines, Department of Climate Change, Energy, the Environment and Water, Canberra, March. CC BY 4.0.

DEWHA (2009). Significant Impact Guidelines for the Critically Endangered Golden Sun Moth (Synemon plana). Department of Environment, Water, Heritage and Arts, Government of Australia, Canberra.

DSEWPaC (2011). Referral guidelines for the vulnerable striped legless lizard, Delma impar. Commonwealth of Australia.

DSEWPAC, (2012a). How to use the offset assessment guide. Department of Sustainability, Environment, Water, Population and Communities. Available at: https://www.dcceew.gov.au/environment/epbc/publications/epbc-act-environmental-offsets-policy. (Accessed November 2024).

DSEWPAC, (2012b). Offset Assessment Guide. Department of Sustainability, Environment, Water, Population and Communities. Available at: https://www.dcceew.gov.au/environment/epbc/publications/epbc-act-environmental-offsets-policy. (Accessed November 2024).

DSEWPAC, (2012c). Environment Protection and Biodiversity Conservation Act 1999 - Environmental Offsets Policy. October 2012. Commonwealth of Australia.F Maseyk, M Evans and M Maron (2017), Guidance for deriving 'Risk of Loss' estimates when evaluating biodiversity offset proposal under the EPBC Act, Threatened Species Recovery Hub

DSE (2004) Vegetation quality assessment manual: Guidelines for applying the Habitat Hectares scoring method. Version 1.3. Victorian Department of Sustainability and Environment, Melbourne.



ISBN 978-1-7641235-5-6

Disclaimer: © AusNet Transmission Group Pty Ltd, 2025. The contents of this document are protected by copyright. Copyright in this material is owned by AusNet Transmission Group Pty Ltd or various other rights holders. You may not copy or exercise any other rights in the material except for the purpose of viewing or printing for your non-commercial use. Unauthorised use of this document in any form is prohibited. This document has been prepared by or on behalf of AusNet Transmission Group Pty Ltd for the purposes of preparing the Environment Effects Statement for the Western Renewables Link project in accordance with the Environment Effects Act 1978 (Vic). It is not intended to be used for, and should not be relied on, for any other purpose. AusNet Transmission Group Pty Ltd (including its directors, officers, employees, agents and advisers) accepts no liability or responsibility whatsoever for, or in respect of, any use of, or reliance upon, this document by any third party. Any third party using and/or relying upon this document accepts sole responsibility and all risk for using and/or relying on this document for any purpose.

This document is based on the information available, and the assumptions made, as at the date of the document or as otherwise stated in the document. This document is to be read in full. No excerpts are to be taken as representative of the findings without appropriate context.



Find out more

we stern renewable s link.com. au/ees



Delivered by

